

VOL. 11

OCTOBER-DECEMBER, 1939

No. 1, Pt. 2

CONTRIBUTIONS
from
BOYCE THOMPSON
INSTITUTE



INDEX
VOLUMES 1-10
1925-1939

COMPILED BY
ZELIAETTE TROY

Published Quarterly at Menasha, Wisconsin, by
BOYCE THOMPSON INSTITUTE FOR PLANT RESEARCH, INC.
Editorial Office: Yonkers, New York

INDEX

VOLUMES 1-10

1925-1939

- Abscission: ethylene and illuminating gas effects on roses, 3:459
 growth substances effects on flowers, 10:481
- Abutilon* mosaic: precipitin reaction with tobacco mosaic, 3:532
- Acenaphthyl-(5)-acetic acid: effects on plants, 7:209
- Acetaldehyde: ethylene chlorohydrin effects on formation in potatoes, 2:437
- Acetic acid: toxicity for cicada, 7:424
- Acetylene effects: epinasty of leaves, 4:104
 on centipedes, 7:147
 on insects, 7:147
 on plants, 5:351, 7:147, 231
 on roots, 5:351
- Acidity: See Hydrogen ion concentration
- Acids, Fatty: contact insecticides, 7:63
- After-ripening of seeds: 1:82; *Ambrosia trifida*, 2:285; apple, 6:205; *Arctostaphylos Uva-ursi*, 9:71; bayberry, 4:19; *Benzoin aestivale*, 7:411; birch, 2:47; cocklebur, 2:304; *Cotoneaster*, 6:323; *Crataegus*, 9:409; gentian, 9:91; grape, 9:7; *Halesia carolina*, 4:27; hawthorn, 6:205; parsnip, 2:115; peach, 6:205; *Rhodotypos kerrioides*, 5:143, 161; Rosaceae, 3:385; *Sorbus aucuparia*, 3:413; *Symphoricarpos racemosus*, 6:91; *Tilia*, 6:69; *Viburnum*, 9:79; wild plum, 4:39
- See also Dormancy in seeds
- Agave murpheyi*: a new species, 7:83
- Age of plants: effects on chemical composition, 2:467
- Alfalfa: sulphur dioxide effects, 9:179, 10:155
- Alkyl halides: effects on respiration in potato tubers, 6:279, 7:1
- Alsophila pomataria*: control by banding, wind dispersal, 7:365
- Alternating temperature: See Temperature effects
 effects on seeds, See Germination of seeds
- Amaryllis* hybrid: pollen germination, storage, 8:141
- Ambrosia trifida*: primary dormancy, after-ripening, and development of secondary dormancy in embryos, 2:285
- Ammonium dithiocarbamate: effects on dormant potato tubers, 5:29
 preparation, 5:31
- Ampholytes: factors influencing pH equilibrium of plant tissue, 1:278
- Amylase in dormant lilac tissues: ethylene chlorohydrin effects, 4:513
- Amylase in dormant potato tubers: acidity effects, 2:435
 chemicals effects, 2:435, 4:53
 ethylene chlorohydrin effects, 2:435, 4:53, 5:441
 potassium chloride effects, 4:53
 potassium cyanide effects, 3:297, 4:53
 potassium nitrate effects, 4:53
 potassium thiocyanate effects, 4:53, 5:441
 sodium thiocyanate effects, 4:53
 thiocyanates effects, 3:277
- Amylase in saliva: thiocyanates effects, 3:287
- Anaesthetic effects on centipedes: of acetylene, butylene, carbon dioxide, carbon monoxide, ethylene, propylene, 7:147
- Anaesthetic effects on insects: of acetylene, butylene, carbon dioxide, carbon monoxide, ethylene, propylene, 7:147
- Anaesthetic effects on plants of: acetylene, 7:147, 231
 butylene, 7:147
 carbon dioxide, 7:147
 carbon monoxide, 5:105, 7:147, 231
 ethylene, 7:147, 231
 growth substances in vapor form, 10:363
 growth substances on mimosa, 7:222
 propylene, 7:147, 231
- Anthocyanin: carbon dioxide effects, 6:403
- Anthraceneacetic acid: effects on plants, 7:209
- Antirrhinum*: aspirin effects on flowers, 2:197
- Aphid: transmits dahlia mosaic, 5:235

- Aphis rumicis*: pyrethrum toxicity, 4:107, 5:115
 thiocyanogen compounds toxicity, 6:269, 7:29, 497
- Apical dominance: growth substances effects, 7:349, 447
 oxygen effects, 10:342
 thiourea effects, 1:154
- Apple: See *Pyrus malus*
- Aquatic plants: *Rhizoctonia* disease, 1:383
- Arbutus, Trailing: propagation, 8:81
- Arctostaphylos Uva-ursi*: after-ripening, dormancy, germination, seedling production, 9:71
- Arsenic residue on sprayed apples, 3:363
- ARTHUR, JOHN M. Red pigment production in apples by means of artificial light sources, 4:1
- ARTHUR, JOHN M., JOHN D. GUTHRIE, and JOHN M. NEWELL. Some effects of artificial climates on the growth and chemical composition of plants, 2:445
- ARTHUR, JOHN M., and EDWARD K. HARRVILL. Forcing flower buds in gardenia with low temperature and light, 8:405
 Heating and lighting greenhouses with intermittent light, 10:15
 Plant growth under continuous illumination from sodium vapor lamps supplemented by mercury arc lamps, 8:433
- ARTHUR, JOHN M., and JOHN M. NEWELL. The killing of plant tissue and the inactivation of tobacco mosaic virus by ultra-violet radiation, 2:143
- ARTHUR, JOHN M., and L. C. PORTER. A new type of insulated greenhouse heated and lighted by Mazda lamps, 7:131
- ARTHUR, JOHN M., and W. D. STEWART. Relative growth and dry weight production of plant tissue under Mazda, neon, sodium, and mercury vapor lamps, 7:119
 Transpiration of tobacco plants in relation to radiant energy in the visible and infra-red, 5:483
- ARTHUR, JOHN M.: See also STEWART, W. D. . . . ; WAY, KATHARINE . . .
- Artichoke: light effects, 8:311
- photoperiodism effects on tuberization, 10:1
- Ascocarp: *Coccomyces hiemalis*, 6:339
- Ascorbic acid: carbon dioxide effects on asparagus, 9:137
 decreases in stored potato tubers, 9:17
 determination, extraction, 9:273
 inactivates tobacco mosaic virus, 8:335, 445
 increased in old potato tubers by cutting into thin slices, 9:17
 production in potatoes treated with ethylene chlorohydrin, 9:17
- Ashing of plant material: improved method, 8:109
- Asparagin: in *Rosa*, 1:537
- Asparagus officinalis*: carbon dioxide effects on ascorbic acid content, respiration, pH, 9:137
 freezing point depressions in shoots, 3:483
- Aspirin: effects on lasting qualities of cut flowers, 2:197
- Aster yellows: 1:181, 3:85
Cicadula sexnotata as carrier, 1:181, 2:343, 3:39, 85
 host range, 1:109, 3:85
 immune plants, 1:181, 3:85
 incubation period, 1:219, 236
 influence on susceptibility to other diseases, 1:219
 not same as celery yellows of California, 4:405; *Eupatorium* yellows, 3:105;
 false blossom of cranberry, 1:214;
 stunt disease of dahlia, 1:212;
 witches' broom in potato, 3:109
 not transmitted through seeds, 1:216
 over-wintering, 1:217
 some of the insects incapable of transmitting, 1:185
 symptoms, 1:182
 ultra-violet photography, 1:407
- Astringency: carbon dioxide storage effects on fruits and vegetables, 3:219
- Atomic weight of elements: as related to toxicity of fungicides, 6:479
- Aucuba* mosaic: ultra-violet photography, 1:407
 virus concentration measured by lesions produced, 7:37
- Auxins: See Growth substances

- Avena*: cellulose in coleoptile epidermis, 10:127
 growth substances effects on coleoptile, 10:481
- Avena sativa*: yarovization, 8:237
- Back Bay, Virginia: ecological and physiological studies on certain aquatic angiosperms in, 4:425
- BACKUS, MYRON P. Initiation of the ascocarp and associated phenomena in *Coccomyces hiemalis*, 6:339
- BACON, RAYMOND F. Address at dedication of Institute, 1:46
- Bacteria: disintegrates cotton cell membranes, 10:267
 ultra-violet photography, 1:412
- BALL, ELMER DARWIN. Address at dedication of Institute, 1:52
- BARROWS, FLORENCE L. Propagation of *Epigaea repens* L. I. Cuttings and seeds, 8:81
 Propagation of *Lycopodium*. I. Spores, cuttings, and bulbils, 7:267
 Propagation of *Lycopodium*. II. Endophytic fungus in gametophyte and sporophyte, 7:295
 Propagation of *Lycopodium*. III. Spore germination, 8:233
- BARTON, LELA V. Dormancy in *Tilia* seeds, 6:69
 Effect of storage on the vitality of *Delphinium* seeds, 4:141
 A further report on the storage of vegetable seeds, 10:205
 Germination and seedling production in *Lilium* sp., 8:297
 Germination of bayberry seeds, 4:19
 Germination of delphinium seeds, 7:405
 Germination of some desert seeds, 8:7
 Hastening the germination of some coniferous seeds, 2:315
 Seedling production in *Carya ovata* (Mill.) K. Koch, *Juglans cinerea* L., and *Juglans nigra* L., 8:1
 Seedling production of tree peony, 5:451
 Storage of elm seeds, 10:221
 Storage of some coniferous seeds, 7:379
 Storage of some flower seeds, 10:399
 Storage of vegetable seeds, 7:323
- BARTON, LELA V.: See also CROCKER, WILLIAM . . . ; GIERSBACH, JOHANNA . . . ; SCHROEDER, ELTORA M. . .
- Bayberry: germination of seeds, 4:19
- BEALE, HELEN PURDY. A device for uniform lighting in precipitin tests, 6:165
 Possible relationship of Stanley's crystalline tobacco-mosaic-virus material to intracellular inclusions present in virus infected cells, 8:333
 Relation of Stanley's crystalline tobacco-virus protein to intracellular crystalline deposits, 8:413
 The serum reactions as an aid in the study of filterable viruses of plants, 6:407
 Specificity of the precipitin reaction in tobacco mosaic disease, 3:529
- BEALE, HELEN PURDY: See also PURDY, HELEN A.; YOUDEN, W. J. . . .
- Bean mosaic: comparison with tobacco mosaic on bean varieties, 2:556
- Bearberry: after-ripening, dormancy, germination, seedling production, 9:71
- Benzoic acid: effects on plants, 7:95
- Benzoïn aestivale*: after-ripening, dormancy, germination of seed, 7:411
- BERG, ROBERT O.: See ZIMMERMAN, P. W., and ROBERT O. BERG
- Betula populifolia* seeds: germination, 1:272, 2:47
 vitality, 2:47
- Birch, Gray: See *Betula populifolia*
- Black grain thrips: fumigation with naphthalene, 2:519
- BLACKMAN, VERNON H. Botanical greetings from Europe. (Address at dedication of Institute), 1:36
- Blasting of flower spike: gladiolus, 3:192
- Blindness: gladiolus, 2:532, 3:192
- BLOCH, ROBERT. Anatomical changes in *Tradescantia fluminensis* Vell. after treatment with growth substances, 9:430
- Boneset: See *Eupatorium*
- Bordeaux mixture: comparison with other copper fungicides, 9:249
 composition affects solubility of copper, 9:149
 fungus spores solubilize copper, 8:151
 weathering increases percentage of copper, solubility of copper, 9:149
- BOURN, W. S. Ecological and physiological

- studies on certain aquatic angiosperms, 4:425
- Sea-water tolerance of *Ruppia maritima* L., 7:249
- Sea-water tolerance of *Vallisneria spiralis* L. and *Potamogeton foliosus* Raf., 6:303
- BOURN, W. S., and BERNICE JENKINS. *Rhizoctonia* disease on certain aquatic plants, 1:383
- Boyce Thompson institute for plant research: administration, 1:9
- building, 1:12; picture (1924), 1:2
- charter, 1:20
- constant condition light and dark rooms, 1:16
- dedication addresses, 1:25
- directors (1924), 1:7, 22
- endowment, 1:9
- fellowships, 1:10, 34
- gantry crane, 1:17; picture, 1:23, 27
- greenhouses, 1:14, 17
- laboratories and equipment, 1:12, 32
- library, 1:18
- mechanical equipment, 1:14
- officers, 1:7, 22
- organization, 1:9, 32
- photographic equipment, 1:20
- publications, 1:12
- purposes, 1:9
- spectral-glass greenhouses, 1:17; picture, 1:31
- staff (1924), 1:9
- Brassica*: sulphur dioxide effects, 9:179
- BRIERLEY, PHILIP. Studies on mosaic and related diseases of *Dahlia*, 5:235
- Browning of plant juices and tissues: thiourea prevents, 7:55
- Bryophyllum*: effects of ethylene chlorohydrin and light on citric acid content, 8:283
- Buckwheat: sulphur dioxide injury, 10:155
- Bud inhibition: See Growth inhibition
- Buffers: effects of composition and concentration on growth substances activity, 9:493
- factors influencing pH equilibrium of plant tissue, 1:278
- Butternut: seedling production, 8:1
- Butyl bromide: effects on glutathione production in potatoes, 9:25
- Butyl halides: effects on respiratory rate of potato tubers, 8:41
- Butylene effects: epinasty of leaves, 4:194
- on centipedes, insects, plants, 7:147
- Calcium: deficiency effects on nitrate reduction by plants, 4:125
- effects of radiation on plants, 9:105
- spectrographic determination in plant ashes, 7:103
- Calcium carbonate: elimination in plant analysis, 5:103
- Calcium caseinate: effects on toxicity of nicotine to *Aphis rumicis*, 3:8
- Calcium hypochlorite: control of *Penicillium* rot in lilies, 8:361
- Callus formation: 1:457
- apple cuttings and grafts, 2:351
- See also Rooting
- Cankerworm: control by banding, wind dispersal, 7:305
- Capillary glass electrode, 3:347
- Carbohydrate-nitrogen ratio: effects of artificial climates on plant composition, 2:445
- effects of seed composition on growth of seedlings, 2:1, 251
- Carbohydrates: accumulated in *Dahlia* in short day, 1:475, 477
- changes in leaves during the night, 5:181
- effects of artificial climates on plant composition, 2:445
- effects of seed composition on growth of seedlings, 1:115, 2:1, 251, 274
- in holly cuttings, 2:212
- in leaves before frost, 5:297
- Carbon bisulphide: effects on dormant potato tubers, 1:63
- Carbon dioxide: supply for plants furnished by fowls, 10:15
- Carbon dioxide effects on: acidity of asparagus tissue, 9:137
- acidity of plant tissue, 5:403, 6:403
- aquatic angiosperms, 4:459
- ascorbic acid content of asparagus tissue, 9:137
- callusing of apple cuttings and grafts, 2:378, 385
- centipedes, 7:147
- chemical constitution of potato tubers, 7:113
- chloroplast pigments, 2:228

- dormancy, See Dormancy . . .
- flower color, 6:403
- fruits, 3:219
- fungal hyphae, 6:395
- germination, See Germination of seeds:
- carbon dioxide effects
 - gladiolus corms treated with growth substances, 10:5
 - growth of plants, 2:445
 - growth of seedlings, 2:1, 251, 274; with or without nitrate supply, 1:115
 - insects, 7:147
 - Neurospora sitophila*, 5:95
 - plants in storage, 5:371, 403
 - plants under various light conditions, 1:123
 - prolonging life of cut flowers, 2:535
 - respiration of plant tissue, 5:371, 403, 471, 7:113, 147, 9:137
 - vegetables, 3:219
- Carbon monoxide effects on: centipedes, 7:147
- epinasty of leaves, 4:194
 - insects, 7:147
 - plants, 5:195, 7:147, 231
 - roots, 5:1
- CARLSON, MARGERY C. Comparative anatomical studies of Dorothy Perkins and American Pillar roses. I. Anatomy of canes. II. Origin and development of adventitious roots in cuttings, 5:313
- Microchemical studies of rooting and non-rooting rose cuttings, 1:529
- Origin of adventitious roots in *Coleus* cuttings, 2:39
- Carotin: environment effects, 2:220
- preparation, 2:226
- Carya ovata*: seedling production, 8:1
- Catalase: in *Ambrosia trifida* embryos, 2:285
- carbon dioxide effects on potato tubers, 7:113
 - changes in relation to respiratory rate of potato tubers, 8:41
 - chemicals effects on dormant potato tubers, 2:420, 427; juice, 3:499
 - ethylene chlorohydrin effects on dormant gladiolus corms, 4:131; dormant lilac tissue, 4:513; dormant potato tubers, 2:417
- Catalase in seeds: cocklebur, 2:310, 7:477; *Nelumbo nucifera*, 1:295; *Rhodotypos kerrioides*, 5:143, 161; *Sorbus aucuparia*, 3:413; *Symphoricarpos racemosus*, 6:91; *Tilia*, 6:60
- Cecidomyid larvae infest lilies, 10:277
- Celery yellows of California: not identical with aster yellows of New York, 4:405
- Cellulose: behavior in cuprammonium hydroxide, 10:57, 71
- behavior in pure bacteria culture, 10:267
 - cataphoretic behavior in electrolytically prepared cuprammonium hydroxide, 10:113
 - formation of membranes, 6:189, 8:401
 - in *Avena* coleoptile epidermis, 10:127
 - orientation, 9:239
 - separation of particles by hydrochloric acid, 6:399
 - X-ray diffraction analysis, 8:389
 - X-ray diffraction patterns, 6:315
- Chemicals effects: See Dormancy . . . ; Growth substances; Salts; name of chemical
- Chemicals, Volatile: produce epinasty, 10:191
- Chi-square test: precision in spore germination tests, 4:233
- statistical analysis of seed germination data, 4:219
- Chloracetal: effects on dormant potato tubers, 7:178
- Chlorinated water effects on: goldfish, 6:46
- plants, 6:39
- Chlorophyll: determination by stable colorimetric standard, 1:339
- determination of chlorophyll a and b, 2:222
 - environment effects, 2:220
 - light effects on concentration, 2:184, 189
 - loss following treatment with growth substances, 9:316, 472
- Chloroplast pigments: determinations, 2:224
- environment effects, 2:220
 - temperature effects, 2:228
 - tomato mosaic effects, 2:244
- Chrysanthemum*: indolebutyric acid produces roots, 10:461
- Chrysanthemum monocarboxylic acid: preparation of esters, 10:143
- toxicity of various esters, 10:143

- Cicada*: nerve lesions after paralysis by killer-wasp, 7:421
- Cicadula sexnotata*: ability of individuals to transmit aster yellows, 1:226
 examination for aster yellows virus, 2:343
 hosts, 1:181, 3:87, 120
 life history, 1:190
 methods for obtaining virus-free colonies, 1:197
 morphological and cytological studies of salivary glands, alimentary tract, 3:39
 over-wintering, 1:193
 retention of aster yellows virus, 1:225
 transmits aster yellows, 1:181, 2:343, 3:39, 85
 transmits celery yellows of California from aster, celery, and carrot to aster, 4:405
 unable to transmit aster yellows to some plants, 1:209, 3:105
 unable to transmit curly top of beets, 1:209
 unable to transmit peach yellows to aster, 1:211; to peach, 1:211, 3:111
- Cinnamic acid: effects on plants, 7:95, 349
- Cinnamic acid, Irradiated: applied as vapor, in water solution or lanolin preparation produces epinasty in plants, 10:197
- Cissus*: anatomical study of roots produced by indolebutyric acid, 8:493
- Citric acid: changes in relation to respiratory rate of potato tubers, 8:41
 effects on plants, 7:95
 ethylene chlorohydrin effects, on content in *Bryophyllum* leaves, 8:283
 isolated from potato tubers, 8:295
 light effects on content in *Bryophyllum* leaves, 8:283
 metabolism in dormant potato tubers treated with ethylene chlorohydrin, 6:247
- CLARK, GEORGE L.: See FARR, WANDA K., and GEORGE L. CLARK
- Coccomyces hiemalis*: ascocarp, 6:339
- Cocklebur: development of dormancy in seeds, 2:304
 dormancy, germination of seeds, 7:477
- Coleus blumei*: origin of adventitious roots in cuttings, 2:39
- Color: See Pigments
- Composts: 8:263
 improved by addition of peats, 4:257
- COMPTON, JACK. On the behavior of plant fibers dispersed in cuprammonium hydroxide solution, 10:57
- COMPTON, JACK: See also HAVER, FORRETS E., JR. . . .
- Conductivity of dormant potato tissue: carbon dioxide effects, 7:113
 chemicals effects, 5:83
- Conidia: See Fungous spores
- Conifers: germination of seeds, 2:315, 7:379
 storage of seeds, 7:379
 temperature effects on seeds, 7:379
 vitality test, 9:339
- CONNARD, MARY H., and P. W. ZIMMERMAN. The origin of adventitious roots in cuttings of *Portulaca oleracea* L., 3:337
- CONNARD, MARY H.: See also ZIMMERMAN, P. W. . . .
- Contractile roots: morphology, of gladiolus, 3:173
- COOLIDGE, CALVIN. Message at dedication of Institute, 1:49
- Copper fungicides: comparison, 9:249
 See also Bordeaux mixture
- Copper sulphate: toxicity surface, 5:173
- Cordylophora lacustris*: on certain aquatic angiosperms, 4:438
- Correlation: thiourea effects on bud inhibition and apical dominance of potato, 1:154
- Cotoneaster*: after-ripening, dormancy, germination of seeds, 6:323
- Cotton: See *Gossypium hirsutum*
- Cotyledon growth: light effects, 2:270
 seed composition effects, 2:270
- COULTER, JOHN M. Address at dedication of Institute, 1:25
- Cranberry: cranberry false blossom disease and its insect vector, 3:59
 Cranberry bogs: insect survey, 3:64
 Cranberry false blossom: See False blossom of cranberry
- Crataegus*: after-ripening, dormancy, germination of seeds, 9:409
 vitality test, 9:339
- Crataegus punctata*: after-ripening, dormancy, dwarfing, germination of seeds, 6:205

- CROCKER, WILLIAM. Aims of Boyce Thompson institute for plant research. (Address at dedication of Institute), 1:28
- CROCKER, WILLIAM, and LELA V. BARTON. After-ripening, germination, and storage of certain rosaceous seeds, 3:385
- CROCKER, WILLIAM, A. E. HITCHCOCK, and P. W. ZIMMERMAN. Similarities in the effects of ethylene and the plant auxins, 7:231
- CROCKER, WILLIAM, P. W. ZIMMERMAN, and A. E. HITCHCOCK. Ethylene-induced epinasty of leaves and the relation of gravity to it, 4:177
- CROCKER, WILLIAM: See also GIEBSBACH, JOHANNA . . . ; HITCHCOCK, A. E. . . . ; SETTERSTROM, CARL . . . ; ZIMMERMAN, P. W. . . .
- Cucumber mosaic: virus concentration measured by lesions produced, 7:37
- Curly top of beets: not transmissible by *Cicadula sexnotata*, or *Eutettix tenellus*, 1:209
- Currituck Sound, North Carolina: ecological and physiological studies on certain aquatic angiosperms in, 1:425
- Cut flowers: See Flowers
- Cuttings: See Callus formation; Rooting
- Cuttings, Woody: rooted with growth substances, 8:63, 9:465
- Cyclamen mite: See *Tarsonemus pallidus*
- Cysteine: potato juice effects on oxidation, 2:558
- Dahlia*: root formation and flowering of cuttings when subjected to different day lengths, 1:467
- Dahlia* mosaic: 5:235
Myzus persicae transmits, 5:235
- Dahlia* ring spot, 5:276
- DAVIS, W. E. The development of dormancy in seeds of cocklebur (*Xanthium*), 2:304
- Primary dormancy, after-ripening, and the development of secondary dormancy in embryos of *Ambrosia trifida*, 2:285
- Day length effects: See Photoperiodism
- Delphinium*: germination of seeds, 7:405
storage effects on seeds, 4:141
- DENNY, F. E. Bases for calculations in measuring changes in leaves during the night, 5:181
- Changes in leaves during the night, 4:65
- Changes in leaves during the period preceding frost, 5:297
- Chemical changes induced in potato tubers by treatments that break the rest period, 2:131
- Combining treatments for disinfecting potato tubers with treatments for breaking dormancy, 9:397
- Direct versus indirect effects upon potato amylase by chemicals which induce sprouting of dormant tubers, 4:53
- Effect of ethylene chlorhydrin vapors upon the chemical composition of *gladiolus* corms, 5:435
- The effect of potassium cyanide upon the amylase activity of potato juice, 3:297
- Effect of potassium thiocyanate and ethylene chlorhydrin upon amylase activity, 5:441
- The effect of thiocyanates upon amylase activity. I. Potato amylase, 3:277
- Effect of thiourea upon bud inhibition and apical dominance of potato, 1:154
- Eliminating the use of calcium carbonate in preparing plant tissue for analysis, 5:103
- Gravity-position of tomato stems and their production of the emanation causing leaf epinasty, 8:99
- Hastening the sprouting of dormant potato tubers, 1:59
- The importance of temperature in the use of chemicals for hastening the sprouting of dormant potato tubers, 1:373
- Improvements in methods of determining starch in plant tissues, 6:129
- Leaf-epinasty tests with chemical vapors, 10:191
- Leaf-epinasty tests with volatile products from seedlings, 9:431
- Oxygen requirements of *Neurospora sitophila* for formation of perithecia and growth of mycelium, 5:95

- Prolonging, then breaking, the rest period of gladiolus corms, **9:403**
- Respiration of gladiolus corms during prolonged dormancy, **10:453**
- A retrieval of the ethylene chlorhydrin method for hastening the germination of freshly-harvested gladiolus corms, **8:473**
- Rôle of mother tuber in growth of potato plant, **2:77**
- Second report on the use of chemicals for hastening the sprouting of dormant potato tubers, **1:169**
- Shortening the rest period of *Gladiolus* by treatment with chemicals, **2:523**
- Spring-treatment of autumn-harvested gladiolus cormels, **8:351**
- Starch determination methods involving solubility in acids, **6:381**
- Storage temperatures for shortening the rest period of gladiolus corms, **8:137**
- Sucrose and starch changes in potatoes treated with chemicals that break the rest period, **2:580**
- Testing plant tissue for emanations causing leaf epinasty, **7:341**
- Thiourea prevents browning of plant tissues and juices, **7:55**
- The twin-leaf method of studying changes in leaves, **2:592**
- DENNY, F. E., and LAWRENCE P. MILLER. Effect of ethylene chlorhydrin vapors upon dormant lilac tissues, **4:513**
- Further experiments on shortening the rest period of potato tubers, **7:157**
- Hastening the germination of dormant gladiolus cormels with vapors of ethylene chlorhydrin, **6:31**
- Production of ethylene by plant tissue as indicated by the epinastic response of leaves, **7:97**
- Storage temperatures and chemical treatments for shortening the rest period of small corms and cormels of gladiolus, **7:257**
- Suggestions for standardizing the ethylene chlorhydrin treatment for inducing sprouting of recently-harvested intact potato tubers, **9:283**
- DENNY, F. E., LAWRENCE P. MILLER, and JOHN D. GUTHRIE. Enzym activities of juices from potatoes treated with chemicals that break the rest period, **2:417**
- DENNY, F. E., and ERNEST N. STANTON. Chemical treatments for shortening the rest period of pot-grown woody plants, **1:355**
- Localization of response of woody tissues to chemical treatments that break the rest period, **1:365**
- DENNY, F. E., and W. J. YODEN. Acidification of unbuffered salt solutions by plant tissue, in relation to the question of tissue isoelectric points, **1:309**
- DENNY, F. E.: See also GUTHRIE, JOHN D. . . . ; MILLER, LAWRENCE P. . . . ; YODEN, W. J. . . .
- Desert seeds: germination, **8:7**
- Dialysis: effects on potato juice, **2:424**
- Dichloroethyl ether, β , β' : fumigation, **10:47, 509**
- Dichloroethylene: effects on dormant potato tubers, **1:63**
- DILLS, L. E., and H. MENUSAN, JR. A study of some fatty acids and their soaps as contact insecticides, **7:63**
- Diurnal changes in leaves: **4:65**
- bases for calculations in measuring, **5:181**
- DOBROSKY, IRENE D. Is the aster-yellows virus detectable in its insect vector? **2:343**
- Morphological and cytological studies on the salivary glands and alimentary tract of *Cicadula sexnotata* (Fallen), the carrier of aster yellows virus, **3:39**
- Studies on cranberry false blossom disease and its insect vector, **3:59**
- DOBROSKY, IRENE D.: See also YODEN, W. J. . . .
- Dominance: See Apical dominance
- Dormancy in buds: light and low temperature effects on gardenia flower buds, **8:405**
- tree peony shoots, **5:451**
- Dormancy in gladiolus: chemicals effects, **2:523**
- ethyl alcohol effects on sulphhydryl compound in corms, **5:341**
- ethylene effects on corms, **2:523**
- ethylene chlorhydrin effects on cormels, **6:31, 7:257, 8:351**

- ethylene chlorohydrin effects on corms, 2:523, 4:131, 8:473, 9:403; chemical composition, 5:435; sulphhydryl compounds, 5:341
- ethylene chlorohydrin effects on sulphur reducing power of juice, 3:126
- prolonged, 9:403
- respiratory rate, 10:453
- temperature effects on cormels, 8:351
- temperature effects on corms, 2:523, 7:257, 8:137, 473, 9:403
- Dormancy in insect eggs: shortening with low temperature, 8:167
- Dormancy in lily bulbs: oxygen effects, 10:381
- Dormancy in potato tubers: alkyl halides effects, 6:279
- amylase, See Amylase in dormant potato tubers
- carbon dioxide effects, 5:371, 403, 471, 10:201
- chemical changes in chemically treated tubers, 2:131, 580
- chemicals effects, 1:59, 169, 8:41; on acidity, 3:499; on bud inhibition and apical dominance, 1:154; on conductivity of tissue, 5:83; on enzyme activities, 2:417, 3:499; on glutathione content, 5:331; on leaching of electrolytes from tissue, 5:83; on reducing properties, 3:499; on respiratory rate, 5:213, 7:1; on sucrose and starch changes, 2:580; on sugar content, 5:213, 8:41
- chloroacetal effects, 7:178
- chlorthiocyanate effects, 7:178
- enzyme activities in relation to sprouting, 2:439
- epichlorohydrin effects, 7:178
- ethyl alcohol effects on respiratory rate, 5:213, 6:123, 8:41
- ethyl carbylamine effects, 9:265
- ethylene effects, 1:63, 65, 174
- ethylene bromohydrin effects on pH of juice, 3:333
- ethylene chlorohydrin effects, 1:59, 169, 373, 2:131, 5:83, 6:247, 7:157, 8:121; amounts used, 7:157, 8:121; comparison of amounts absorbed and degree to which dormancy is overcome, 9:283; on acetaldehyde formation, 2:437; on acidity of juice, 3:321, 6:247; on amylase, 2:435, 4:53, 5:441; on ascorbic acid, 9:17; on disinfected tubers, 9:397; on enzyme activities, 2:417; on glutathione, 5:331, 9:17, 233; on phosphatase activity, 9:293; on reducing properties, 2:417, 9:17; on respiratory rate, 6:123, 8:41; on sulphur reducing power of juice, 3:126; on takadiastase, 5:441
- ethylene thiocyanohydrin effects, 9:265
- formaldehyde effects on chemical treatments, 9:397
- furane effects, 7:178
- growth substances effects, 9:265
- halogenated aliphatic compounds effects, 7:1
- hydrogen sulphide effects on respiration, 5:29
- large scale treatments, 9:283
- mesityl oxide effects, 7:178
- methyl ester of naphthaleneacetic acid vapor effects, 10:325
- oxygen effects, 5:471, 10:201, 339
- paradichlorobenzene effects, 7:178
- phenyl growth substances effects, 10:481
- potassium thiocyanate effects, 5:83, 7:178
- relation to increases in respiration, 5:213
- sodium thiocyanate effects, 1:373, 2:131, 417, 580, 4:53, 7:157, 9:397
- sulphur compounds effects, 3:309, 499, 5:29, 331
- temperature effects, on chemically treated tubers, 1:373; on ethylene chlorohydrin treated tubers, 7:157; on sodium thiocyanate treated tubers 7:157
- thiocyanates effects, 1:59, 154, 169
- thiourea effects, 1:59, 169, 2:417, 581, 5:83, 213, 9:397
- Dormancy in roses: ethylene and illuminating gas effects, 3:459
- Dormancy in seeds: 1:82; *Ambrosia trifida*, 2:285; apple, 6:205; *Arctostaphylos Uva-ursi*, 9:71; *Benzoin aestivale*, 7:411; birch, 1:272, 2:47; cocklebur, 2:304, 7:477; *Coloneaster*, 6:323; *Crataegus*, 9:409; gentian, 9:91; grape, 9:7; *Halesia carolina*, 4:27; hawthorn, 6:205; lettuce, 8:25; lilies, 8:297; *Myrica carolinensis*, 4:19;

- Nelumbo nucifera*, 1:289, 295, 301; nuts, 8:1; parsnip, 2:115; peach, 6:205, 8:289; *Ptelea*, 8:355; *Rhodotypos kerrioides*, 5:143, 161; rock garden plants, 10:235; Rosaceae, 3:385; *Sorbus aucuparia*, 3:413; *Symphoricarpos racemosus*, 6:91; *Tilia*, 6:69; tree peony, 5:451; *Viburnum*, 9:79; wild plum, 4:39
- carbon dioxide effects, on cocklebur, 7:477; on lettuce, 8:25; on *Nelumbo nucifera*, 1:289
- causes, 2:300, 6:91
- chemical changes, in *Rhodotypos kerrioides*, 5:143; in *Sorbus aucuparia*, 3:413; in *Symphoricarpos racemosus*, 6:91
- chemicals effects on *Sorbus aucuparia*, 3:413
- ethylene chlorohydrin effects, 1:274
- fungal invasion overcomes, 6:91, 103
- gases effects on cocklebur, 1:100, 7:477
- hydrogen ion concentration effects, on birch, 2:50; on *Sorbus aucuparia*, 3:413
- oxygen effects, 1:100; on *Ambrosia trifida* embryos, 2:285; on birch, 2:50; on cocklebur, 2:311, 7:477; on lettuce 8:25; on *Nelumbo nucifera*, 1:289
- seed coat effects, on cocklebur, 2:304
- seed coat effects at high temperatures, on *Arctostaphylos Uva-ursi*, 9:71; on *Cotoneaster*, 6:323; on *Crataegus*, 9:409; on *Halesia carolina*, 4:27; on lettuce, 8:35; on *Symphoricarpos racemosus*, 6:91, 103; on *Tilia*, 6:69
- storage effects on *Ambrosia trifida* embryos, 2:288
- sulphuric acid effects, on *Arctostaphylos Uva-ursi*, 9:71; on birch, 1:274; on *Cotoneaster*, 6:323; on *Crataegus*, 9:409; on *Symphoricarpos racemosus*, 6:91; on *Tilia*, 6:69
- temperature effects on *Ambrosia trifida* embryos, 2:285; on cocklebur, 2:304, 7:477; on lettuce, 8:35
- water effects on *Ambrosia trifida* embryos, 2:289; on birch, 2:47; on cocklebur, 2:304, 7:477
- Dormancy in seeds, Epicotyl: in lilies, 8:297; in tree peony, 5:451; in *Viburnum*, 9:79
- Dormancy in seeds, Secondary: in *Ambrosia trifida* embryos, 2:285; in cocklebur, 2:304, 7:477; in *Sorbus aucuparia*, 3:413
- Dormancy in woody plants: chemicals effects, 1:355
- ethylene chlorohydrin effects, 1:355, 4:513
- localization of response to chemical treatments, 1:365
- sulphur compounds effects, 5:52, 71
- "Dry Ice": See Carbon dioxide
- Duck-food plants: ecological and physiological studies on certain aquatic angiosperms, 4:425
- sea-water tolerance, 6:303, 7:249
- Duplicate determinations: calculation of probable error from, 2:226
- Dwarf seedlings: apple, 6:205; cocklebur, 7:477; hawthorn, 6:205; peach, 6:205; *Rhodotypos kerrioides*, 5:161
- Easter lilies: development of floral axis, new bud, 7:311
- oxygen effects on dormancy, 10:381
- ECKERSON, SOPHIA H. Conditions affecting nitrate reduction by plants, 4:119
- Influence of phosphorus deficiency on metabolism of the tomato (*Lycopersicon esculentum* Mill.), 3:197
- An organism of tomato mosaic, 1:109
- Seasonal distribution of reducease in the various organs of an apple tree, 3:405
- ECKERSON, SOPHIA H.: See also FARR, WANDA K. . . ; KRAYBILL, H. R. . . .
- Ecological significance of light intensity, 2:191
- Electrodeposition of cellulose from cuprammonium dispersions, 10:113
- Electrodes: capillary glass electrode, 3:347
- Electrodialysis: freeing tobacco mosaic virus from accompanying solids, 1:479
- Electrolytes: leaching in dormant potato tissue by chemical treatments, 5:83
- Elm: germination, storage of seeds, 10:221
- Emanations from plant tissues: produce epinasty, 7:97, 341, 8:99, 9:431; ethylene the active principle, 10:191
- Emanations from plants treated with growth substances affect other plants, 10:481

- Embryo: See Seeds
- Enzymes: effects on infectivity of tobacco mosaic virus, 3:147
- ethylene chlorohydrin effects on dormant lilac tissues, 4:513; on gladiolus corms, 4:131
- in dormant and after-ripening *Sorbus aucuparia* seeds, 3:432
- sulphur compounds effects on dormant potato tubers, 5:29
- See also Amylase; Catalase; Lipase; Peroxidase; etc.
- Epiclorhydrin: effects on dormant potato tubers, 7:178
- Epicotyl dormancy in: lilies, 8:297
- tree peony, 5:451
- Viburnum*, 9:79
- Epigaea repens*: propagation, 8:81
- Epinasty: artificial orientation effects, 9:316
- capping effects, 10:389
- carbon monoxide effects, 5:195
- comparative effectiveness of ethylene and growth substances, 7:231
- essential oils from plant tissues do not produce, 7:341, 8:99
- ethylene effects on roses, 3:459
- gases effects on leaves, 4:177
- growth substances effects, 7:87, 209, 349, 447, 9:299, 10:363, 481
- illuminating gas effects on roses, 3:459
- irradiated cinnamic acid effects, 10:197
- methyl ester of naphthaleneacetic acid vapor effects on tomato leaves, 10:325
- plant tissue emanations effects, 7:97, 341, 8:99, 9:431
- test for ethylene production by plant tissues, 7:97
- volatile chemicals effects, 10:191
- Ergosterol, Irradiated: effects on plants, 6:237
- Ergothioneine: structure, 9:228
- Errors: of analysis, sampling, 3:363
- Essential oils from plant tissues: do not produce epinasty, 7:341, 8:99
- Esters of organic acids: See name of acid
- Ether: effects on dormancy in gladiolus, 2:523
- Ethyl alcohol effects: on glutathione in dormant, gladiolus corms, 5:341; potato tubers, 5:331
- on respiratory rate of potato tubers, 5:213, 6:123, 8:41
- Ethyl bromide: produces epinasty, 10:191
- Ethyl carbylamine effects: on potato tubers, 9:265
- Ethyl iodide: produces epinasty, 10:191
- Ethyl mercaptan effects: breaks dormancy in grapes, lilacs, potato tubers, 5:52
- on respiratory rate of potato tubers, 5:213, 8:41
- Ethylene: movement of gases into and through plants, 3:313
- production by plant tissues, 7:97, 341, 8:99, 9:431
- Ethylene effects: comparison to other growth substances in effectiveness on pea seedling, 10:363
- epinasty of leaves, 4:177, 10:191
- on centipedes, 7:147
- on dormancy, gladiolus, 2:523; potato tubers, 1:63, 65, 174
- on insects, 7:147
- on plants, 5:351, 7:147, 209, 231
- on roots, 5:351
- on roses, 3:459
- Ethylene bromohydrin effects on: pH of potato tuber juice, 3:333
- respiration of potato tubers, 5:213, 7:1
- Ethylene chlorohydrin: decomposition in potato tubers, 8:479
- forms β -(2-chloroethyl)-*d*-glucoside in, treated gladiolus corms, 9:425; treated potato tubers, 10:139
- forms β -glucoside in treated plant tissues, 9:213
- sulphate decreases, glutathione increases in treated potato tubers, 9:233
- Ethylene chlorohydrin effects on: citric acid content of *Bryophyllum* leaves, 8:283
- dormancy, See Dormancy . . .
- germination, See Germination of seeds: ethylene chlorohydrin effects
- sulphydryl content of gladiolus corms, 4:131
- Ethylene chlorthiocyanate: effects on dormant potato tubers, 7:178
- Ethylene dichloride effects: on dormant potato tubers, 1:173; on dormant pot-grown woody plants, 1:355
- localization of response of dormant woody tissues, 1:365

- Ethylene thiocyanohydrin: effects on potato tubers, 9:265
preparation method, 9:265
- Euonymus radicans*: comparative rooting with acids and salts of growth substances, 10:461
- Eupatorium* yellows: not same as aster yellows, 3:105
- European mountain ash: after-ripening, germination, vitality of seeds, 3:413
vitality test of seeds, 9:339
- Euscelis striatulus*: cranberry false blossom carrier, 3:59
- Fagopyrum esculentum*: sulphur dioxide injury, 10:155
- False blossom of cranberry: control measures, 3:80
disease and its insect vector, 3:59
noninfected leafhoppers unable to transmit disease, 3:79
probably distinct from aster yellows, 1:214
- FARR, WANDA K. Behavior of the cell membrane of the cotton fiber in cuprammonium hydroxide solution, 10:71
Cotton fibers. I. Origin and early stages of elongation, 3:441
Cotton fibers. III. Cell divisions in the epidermal layer of the ovule subsequent to fertilization, 5:167
Cotton fibers. IV. Fiber abnormalities and density of the fiber mass within the boll, 6:471
- FARR, WANDA K., and GEORGE L. CLARK. Cotton fibers. II. Structural features of the wall suggested by X-ray diffraction analyses and observations in ordinary and plane-polarized light, 4:273
- FARR, WANDA K., and SOPHIA H. ECKERSON. Formation of cellulose membranes by microscopic particles of uniform size in linear arrangement, 6:189
Separation of cellulose particles in membranes of cotton fibers by treatment with hydrochloric acid, 6:309
- FARR, WANDA K., and WAYNE A. SISSON. Observations on the membranes of epidermal cells of the *Avena* coleoptile, 10:127
- X-ray diffraction patterns of cellulose particles and interpretations of cellulose diffraction data, 6:315
- Fern-leaf of tomato: isolated from mottling principle, 1:336
- FERNALD, EVELYN I. Freezing point depressions of asparagus shoots determined by a thermo-electric method, 3:483
- Fertilizers: colloidal phosphate, 10:257
effects on pH of peats, 4:497
nitrogenous, 8:13; effects on composts, 8:263
phosphate, 10:257
Tennessee brown rock phosphate, 10:257
- Fiber pots: effects on plant growth, 8:317
- Fibers, Cotton: origin and early stages of elongation, 3:441
wall structure, 4:273
- Fibers, Cotton seed: formation, 5:167
- Ficus scabra*: *Herpetomonas bancrofti* in latex, 3:375
- Flagellates, Latex: in *Ficus scabra* and five other plants, 3:375
- Flavors: carbon dioxide effects on fruits and vegetables, 3:219
- FLEMION, FLORENCE. After-ripening at 5° C. favors germination of grape seeds, 9:7
After-ripening, germination, and vitality of seeds of *Sorbus aucuparia* L., 3:413
Breaking the dormancy of seeds of *Crataegus* species, 9:409
Dwarf seedlings from non-after-ripened embryos of peach, apple, and hawthorn, 6:205
Dwarf seedlings from non-after-ripened embryos of *Rhodotypos kerrioides*, 5:161
Physiological and chemical changes preceding and during the after-ripening of *Symphoricarpos racemosus* seeds, 6:91
Physiological and chemical studies of after-ripening of *Rhodotypos kerrioides* seeds, 5:143
A rapid method for determining the germinative power of peach seeds, 8:289
A rapid method for determining the viability of dormant seeds, 9:339

- FLEMION, FLORENCE, and ALBERT HARTZELL. Effect of low temperature in shortening the hibernation period of insects in the egg stage, **8:167**
- Flower differentiation: in gladiolus, **3:173**
- Flower seeds: See Germination of seeds; Seed storage
- Flower spike: development in gladiolus, **3:173**
- Flowering: carbohydrate-nitrogen ratio of effects, **2:466**
 chemical composition of plants effects, **2:475**
 chemicals effects on gladiolus, **2:531**
 growth substances effects, **7:447**
 light duration effects, **2:466, 478**; on dahlia, **1:467**
 light intensity effects, **2:185**
 quality of radiation effects, **1:258**
 retardation by high concentrations of growth substances, See Growth substances
- Flowers: color as affected by carbon dioxide, **6:403**
 lasting qualities as affected by, aspirin, **2:196**; carbon dioxide, **2:535**; growth substances vapors, **10:481**; humidity, temperature, various chemicals, **2:196**
- Fluoreneacetic acid: effects on plants, **7:209**
- Forcing: See Dormancy
- Formaldehyde: effects on activity of chemicals applied to overcome dormancy in potato tubers, **9:397**
- Formic acid: toxicity for meal worms, **7:424**
- Frasch foundation: See Herman Frasch foundation for research in agricultural chemistry
- Freezing point depressions of asparagus shoots determined by a thermoelectric method, **3:483**
- Frost: changes in leaves before, **5:297**
- Fructose: determination in presence of pentoses, **10:441**
- Fruit juices: thiourea prevents darkening, **7:55**
- Fruiting: light intensity effects, **2:185**
 quality of radiation effects, **1:258**
 ultra-violet effects on tomato, **2:157**
- Fruits: thiourea prevents browning, **7:55**
- Fumigation: β, β' -dichloroethyl ether, **10:47, 509**
 naphthalene, See Naphthalene fumigation
 sulphur dioxide, **6:455**
- Fungi: carbon dioxide effects on hyphae, **6:395**; on mycelial growth, **5:95**
 effects on seed coats, **6:91, 103**
 initiation of ascocarp, **6:339**
 oxygen requirements for mycelial growth, perithecia formation, **5:95**
- Fungi, Endophytic: in *Lycopodium*, **7:295**
 in trailing arbutus, **8:81**
- Fungicides: comparison of copper fungicides, **9:249**
 comparative toxicity of sulphur, selenium, and tellurium, **4:415**
 organic compounds, **7:333**
 phenol compounds, **7:333**
 physical factors affecting efficiency of sulphur dusts, **3:524**
 precision of spore germination tests, **4:233**
 resorcinol derivatives, **7:333**
 theory of toxicity tests, **10:329**
 thiocyanogen compounds, **7:333**
 toxicity as related to position of elements in periodic system, **6:479**
 toxicity surface, **5:173**
 See also Bordeaux mixture; Calcium hypochlorite; Hydrogen sulphide; Pentathionic acid; Sulphur fungicides
- Fungous spores: action of spores on Bordeaux mixture, **8:151**
 precision of germination tests, **4:233**
 production of germination tests, **4:233**
 production of hydrogen sulphide from sulphur, **3:13**
 theory of toxicity tests, **10:329**
 toxicity surface of fungicides, **5:173**
 See also Germination of spores
- Furane: effects on dormant potato tubers, **7:178**
- Gardenia*: forcing flower buds, **8:405**
- Gas: See name of gas
- Gas, Illuminating: movement into and through plants, **3:313**
- Gas, Illuminating, effects: on hyacinth, **4:155**
 on lily, **4:155**
 on narcissus, **4:155**
 on plants, **3:313**

- on roses, 3:459
 on tulip, 4:155
 toxic action in soil, 6:1
- Gases effects: anaesthetic effects on centipedes, insects, plants, 7:147
 apparatus for studying effects on animals, 9:161
 on plants, 4:177, 9:161
 See also name of gas
- Gentiana*: after-ripening, dormancy, germination, seedling development, 9:91
- Geotropism: as a method for determining activity of growth substances, 9:498
 effects on distribution of growth substances through plants, 9:455
 growth substances effects, 8:217, 9:299, 10:363, 481
 modification of direction and rate produced by growth substances treatment, 9:299
 positive response of horizontal shoots to growth substances, 10:363, 481
- Germination of insect eggs: temperature effects on hibernation period, 8:167
- Germination of pollen: 8:141, 10:429
 viability prolonged by storage conditions, 10:429
- Germination of seeds: *Ambrosia trifida*, 2:285; apple, 6:205; *Arctostaphylos Uva-ursi*, 9:71; bayberry, 4:19; *Benzoin aestivale*, 7:411; birch, 1:272, 2:47; black walnut, 8:1; butternut, 8:1; cocklebur, 2:304, 7:477; conifers, 2:315, 7:379; *Cotoneaster*, 6:323; *Cyrtalegus*, 9:409; delphinium, 4:141, 7:405; desert plants, 8:7; elm, 10:221; flowers, 10:399; gentian, 9:91; grapes, 9:7; *Halesia carolina*, 4:27; hawthorn, 6:205; hickory nut, 8:1; lettuce, 8:25, 9:329; lilies, 8:297; *Nelumbo nucifera*, 1:289, 295; oats, 8:237; peach, 6:205, 8:289; pines, 2:315; *Ptelea*, 8:355; *Rhodotypos kerrioides*, 5:143, 161; rock garden plants, 10:235; Rosaceae, 3:385; *Sorbus aucuparia*, 3:413; *Symphoricarpos racemosus*, 6:91, 103; *Tilia*, 6:69; trailing arbutus, 8:81; tree peony, 5:451; vegetables, 7:323, 10:205; *Viburnum*, 9:79; wheat, 8:237; wild plum, 4:39
 carbon dioxide effects on birch, 2:69
 chlorophenol mercury effects on birch, 2:52
 hydrogen ion concentration effects, on birch, 2:50; on *Sorbus aucuparia*, 3:413
 light effects, 1:82; on birch, 2:52; on elm, 10:221; on lettuce, 8:25; on oats, 8:237; on rock garden plants, 10:235; on wheat, 8:237
 mercury compounds effects, 1:272
 nitrogen effects, 1:82, 290
 oxygen effects, 1:71, 82, 8:25
 rapid viability test, 9:339
 ripeness effects, on birch, 2:47; on parsnip, 2:119
 statistical analysis of seed data, 4:219
 sulphuric acid effects, 1:74, 82, 289
 temperature effects, on conifers, 2:315, 7:379; on delphinium, 7:405; on desert plants, 8:7; on oats, 8:237; on parsnip, 2:115; on wheat, 8:237
 temperature effects on seeds in water, 1:72
 temperature effects, See also Dormancy in seeds
 "Uspulun" effects on birch, 2:52
 water effects, 1:67, 82, 8:237; on parsnip, 2:119
 See also Dormancy in seeds
- Germination of spores: fungicides effects, See Fungicides
- GIBSON, FREDERICK. *Agave murpheyi*, a new species, 7:83
Simmondsia californica Nuttall is dioecious, 10:45
- GIEBSBACH, JOHANNA. After-ripening and germination of *Cotoneaster* seeds, 6:323
 Germination and seedling production of *Arctostaphylos Uva-ursi*, 9:71
 Germination and seedling production of species of *Viburnum*, 9:79
 Some factors affecting germination and growth of gentian, 9:91
- GIEBSBACH, JOHANNA, and LELA V. BARTON. Germination of seeds of the silver bell, *Halesia carolina*, 4:27
- GIEBSBACH, JOHANNA, and WILLIAM CROCKER. Germination and storage of wild plum seeds, 4:39
Gladiolus: bigeneric hybrid, 10:189
 blasting, 3:192

- dormancy, See Dormancy in *gladiolus*
 ethylene chlorohydrin effects on catalase,
 peroxidase, pH, and sulphhydryl con-
 tent of corms, 4:131
 growth substances effects, 10:5
 morphology, 3:173
 new fragrant hybrid, 10:377
 oxidase inhibits sulphur reduction by
 juice, 3:125
 pollen viability prolonged by storage
 conditions, 10:429
- Glass electrode, 3:347
- Glucose: determination in presence of pen-
 toses, 10:441
- Glucoside, β : formation by plant tissue
 serves as detoxication mechanism,
 9:213, 425
 produced by plant tissue treated with
 ethylene chlorohydrin, 9:213
- Glucoside, β -(2-chloroethyl)-*d*: formation
 by ethylene chlorohydrin treated,
gladiolus corms. 9:425; potato tubers,
 10:139
- Glutathione: changes during storage of po-
 tato tubers, 9:17
 changes in relation to respiratory rate
 of potato tubers, 8:41
 determination method based on reaction
 with sulphur, 9:223
 determination methods compared, 9:17
 ethyl alcohol effects on dormant, *gladiolus*
 corms, 5:341; potato tubers,
 5:331
 ethylene chlorohydrin effects on dor-
 mant, *gladiolus* corms, 5:341; potato
 tubers, 5:331, 9:17, 233
 in dormant potato tubers increased by
 chemical treatments, 5:331
 in fungous spores, 3:26
 isolation from potato tubers, 5:331
 produces, hydrogen selenide, hydrogen
 telluride, 4:422; hydrogen sulphide,
 3:125, 4:99, 422
 synthesis by chemically treated potato
 tubers, 9:17
 synthesis from sulphate by potato tu-
 bers treated with ethylene chloro-
 hydrin, 9:233
 See also Sulphydryl compounds
- Glycolic acid: effects on plants, 7:95
- Gossypium hirsutum*: behavior of cell mem-
 branes, in cuprammonium hydrox-
 ide, 10:57, 71; in pure bacterial cul-
 tures, 10:267
- cataphoretic behavior of cell membranes
 in electrolytically prepared cupram-
 monium hydroxide, 10:113
- cell divisions in epidermal layer of ovule
 subsequent to fertilization, 5:167
- density of fiber mass, 6:471
- fiber, abnormalities, 6:471; develop-
 ment, 9:239; formation, 5:167
- formation of cellulose membranes, 6:189,
 8:401
- orientation of fibers shown by X-ray
 diffraction, 9:239
- origin and early stages of elongation of
 fibers, 3:441
- pectic acid in fibers, 9:1
- separation of cellulose particles by hy-
 drochloric acid, 6:309
- X-ray diffraction analysis of cellulose
 particles, 8:389
- X-ray diffraction patterns of cellulose
 particles, 6:315
 wall structure, 4:273
- Grafts, Apple: environment effects on
 callusing, 2:351
- Grape: See *Vitis*
- Gravity effects in relation to ethylene-
 induced epinasty of leaves, 4:203
- Greenhouse, Insulated: heated by Mazda
 lamps, 7:131, 10:115
- Greenhouses: at Boyce Thompson institute,
 1:14
- Greenness of leaves: relation to conditions
 of growth, 2:281
- GRIFFITHS, A. E. Observations on the germi-
 nation of lettuce seed, 9:329
- Growth inhibition: chemicals effects on
 potato buds, 1:154
 growth substances, effects on plants,
 10:363; in high concentrations, See
 Growth substances
 methyl ester of naphthaleneacetic acid
 vapor effects on bud growth, 10:325
 naphthalene compounds effects on bud
 growth, 10:481
 oxygen effects on potato, 10:339
 thioacetamide retards sprouting of po-
 tato tubers, 5:64
 thiourea effects on bud inhibition and
 apical dominance of potato, 1:154
- Growth promotion: See Dormancy; Epi-

- nasty; Germination; Growth substances; Hormones; Rooting; Roots; etc.
- Growth substances: 7:231
- absorption by plants, 7:447
 - activity as affected, by acidity, 9:493, 498; by composition and concentration of buffers, 9:493; by condition of plant material, 10:461; by humidity, 9:487; by light, 9:487, 10:481; by temperature, 7:209, 9:487
 - comparative effectiveness, of acids and esters, 10:363; of acids, esters, and salts, 8:337, 9:493; of acids and salts, 10:461
 - comparative effectiveness, of indole, phenyl, and naphthalene compounds, 9:467; of indoleacetic, indolebutyric, and naphthaleneacetic acids, 10:461
 - comparative effectiveness, of solutions and powders on rooting, 10:461; of solutions and vapors, 10:363, 481
 - concentration increase increases number of roots on cuttings, 9:486
 - concentration range producing rooting, growth, toxicity, 9:480, 486
 - concentration requirements, 10:461
 - deferred treatment effects, 9:485
 - definition, 10:483
 - distribution through plants, 9:299, 455
 - factors influencing solubility and penetration, 10:461
 - methods of evaluation, 8:337
 - rate of movement in plants, 7:447
 - redistribution after treatment, 9:455
 - retreatment effects, 9:481
 - solvents effects on ability to penetrate, 9:480
 - specificity for rooting, 9:467
 - substitution for hormones, 9:299
 - test objects, green tissue, 9:463; tobacco plant, 7:349
 - translocation in plants, 9:500, 507, 508
 - transpiration influence on absorption and translocation, 9:487
 - tropic responses as method for determining relative activity, 9:299, 498
- See also Acenaphthyl-(5)-acetic acid; Acetylene; Anthraceneacetic acid; Benzoic acid; Carbon monoxide; Cinnamic acid; Citric acid; Ethylene; Fluoreneacetic acid; Glycollic acid; Hormones; Indole compounds; Indole derivatives; Indoleacetic acid; Indolebutyric acid; Indolepropionic acid; Indolevaleric acid; Malonic acid; Naphthalene compounds; Naphthaleneacetic acid; Naphthaleneglycollic acid; Naphthaleneglyoxalic ethyl ester; Naphthylacetoneitrile; Phenyl compounds; Phenylacetic acid; Phenylpropionic acid; Propylene; Pyruvic acid; Tartaric acid
- Growth substances effects: on abscission of flowers, 10:481
- on anatomy of *Tradescantia fluminensis*, 9:439
 - on geotropism, 8:217
 - on guttation, 10:481
 - on lasting qualities of flower petals, 10:481
 - on plants under varying light conditions, 8:217
 - on respiration, 10:481
 - on rooting, 7:439, 447
 - on seedlings, 10:481
 - on sprouting of potato tubers, 9:265
 - on tropic responses in plants, 9:299
 - similar to those produced by capping upper part of tomato plants, 10:389
 - treated plants give emanations influencing other plants, 10:481
- GUTERMAN, C. E. F.: See O'LEARY, KEITH, and C. E. F. GUTERMAN
- GUTHRIE, JOHN D. Change in the glutathione content of potato tubers treated with chemicals that break the rest period, 5:331
- Effect of chemical treatments of dormant potato tubers on the conductivity of the tissue and on the leaching of electrolytes from the tissue, 5:83
 - Effect of environmental conditions on the chloroplast pigments, 2:220
 - Effect of ethylene thiocyanohydrin, ethyl carbylamine, and indoleacetic acid on the sprouting of potato tubers, 9:265
 - Effect of light and of ethylene chlorhydrin on the citric acid content of *Bryophyllum* leaves, 8:283
 - The effect of various chemical treatments of dormant potato tubers on

- the peroxidase, catalase, pH, and reducing properties of the expressed juice, 3:499
- Factors influencing the development of ascorbic acid and glutathione in potato tubers following treatment with ethylene chlorhydrin, 9:17
- The inhibiting effect of oxidase on the reduction of sulphur by potato and gladiolus juice, 3:125
- Inhibition of the growth of buds of potato tubers with the vapor of the methyl ester of naphthaleneacetic acid, 10:325
- An iodimetric method for determining oxidase activity, 2:558
- Isolation of citric acid from potato tubers, 8:295
- Metabolism of citric, sulphuric, and nitric acid in the potato tuber. An explanation for the high pH of the juice of tubers treated with ethylene chlorhydrin, 6:247
- A new method for the determination of glutathione in tissues based on its reaction with sulphur to form hydrogen sulphide, 9:223
- Phosphatase activity of the juice of plant tissue following treatment with ethylene chlorhydrin, 9:293
- A stable colorimetric standard for chlorophyll determinations, 1:330
- The utilization of sulphate in the synthesis of glutathione by potato tubers following treatment with ethylene chlorhydrin, 9:233
- GUTHRIE, JOHN D., F. E. DENNY, and LAWRENCE P. MILLER. Effect of ethylene chlorhydrin treatments on the catalase, peroxidase, pH, and sulphhydryl content of gladiolus corms, 4:131
- GUTHRIE, JOHN D., and FRANK WILCOXON. Estimation of sulphhydryl in tissues, 4:99
- GUTHRIE, JOHN D.: See also ARTHUR, JOHN M. . . ; DENNY, F. E. . . ; MILLER, LAWRENCE P. . . ; YODEN, W. J. . .
- Guttation: growth substances effects, 10:481
- Gutzeit method for arsenic determinations on apples, 3:363
- Halesia carolina*: germination of seeds, 4:27
- Halogenated aliphatic compounds: effects on respiration in potato tubers, 7:1
- HARPER, ROBERT A. Address at dedication of Institute, 1:53
- HARRIS, STANTON A., and H. JEANNE THOMPSON. Pectic acid from the cotton fiber, 9:1
- HARTZELL, ALBERT. Bionomics of the plum and peach leafhopper, *Macropsis trimaculata*, 9:121
- Histopathology of insect nerve lesions caused by insecticides, 6:211
- Histopathology of nerve lesions of *Cicada* after paralysis by the killer-wasp, 7:421
- Incubation period of peach yellows in its insect vector, 8:113
- Movement of intracellular bodies associated with peach yellows, 8:375
- A study of peach yellows and its insect vector, 7:183
- HARTZELL, ALBERT, and FRANK WILCOXON. Chemical and toxicological studies on organic thiocyanates, 7:407
- Experiments on control of Japanese beetle larvae with β , β' -dichloroethyl ether, 10:509
- Naphthalene fumigation at controlled concentrations, 2:512
- Organic thiocyanogen compounds as insecticides, 6:269
- Relative toxicity of pyrethrins I and II to insects, 8:183
- Some factors affecting the efficiency of contact insecticides. II. Chemical and toxicological studies of pyrethrum, 4:107
- HARTZELL, ALBERT, and W. J. YODEN. Efficiency of banding for the control of cankerworms, 7:365
- HARTZELL, ALBERT: See also FLEMION, FLORENCE . . . ; IMLE, E. P. . . ; MCCALLAN, S. E. A. . . ; WEEDON, F. R. . . ; WILCOXON, FRANK . . .
- HARVILL, EDWARD K. Toxicity of various esters prepared from chrysanthemum monocarboxylic acid, the acidic portion of pyrethrin I, 10:143
- HARVILL, EDWARD K.: See also ARTHUR, JOHN M. . .
- HAYER, FORREST E., JR., and JACK COMP-

- TON. A method for the quantitative determination of glucose and fructose in the presence of pentoses, **10:441**
- Hawthorn: after-ripening, dormancy, dwarfing, germination of seeds, **6:205**
- Heating of greenhouses: by Mazda lamps, **7:131, 10:15**
- Helianthus tuberosus*: light effects, **8:311**
photoperiodism effects on tuberization, **10:1**
- Heliothrips femoralis*: fumigation with naphthalene, **2:519**
- Helium: effects on centipedes, insects, **7:147**
- Herman Frasch foundation for research in agricultural chemistry.
Paper no. 2, **2:389**; no. 3, **2:417**; no. 4, **2:512**; no. 5, **2:523**; no. 6, **2:558**; no. 10, **2:580**; no. 11, **3:277**; no. 14, **3:1**; no. 18, **3:13**; no. 19, **3:125**; no. 20, **3:287**; no. 21, **3:297**; no. 22, **3:309**; no. 23, **3:321**; no. 26, **3:509**; no. 27, **3:499**; no. 31, **4:53**; no. 32, **4:107**; no. 33, **4:99**; no. 34, **4:233**; no. 35, **4:131**; no. 48, **4:513**; no. 49, **4:415**; no. 50, **5:29**; no. 55, **5:83**; no. 56, **5:115**; no. 58, **5:173**; no. 59, **5:213**; no. 65, **5:331**; no. 67, **5:435**; no. 68, **5:441**; no. 70, **5:461**; no. 71, **6:31**; no. 72, **6:123**; no. 73, **6:211**; no. 74, **6:247**; no. 75, **6:269**; no. 76, **6:279**; no. 83, **7:1**; no. 84, **6:479**; no. 86, **7:29**; no. 87, **7:55**; no. 92, **7:97**; no. 93, **7:157**; no. 98, **7:257**; no. 99, **7:333**; no. 100, **7:341**; no. 106, **7:497**; no. 107, **8:41**; no. 108, **8:99**; no. 113, **8:121**; no. 114, **8:151**; no. 120, **8:189**; no. 121, **8:175**; no. 122, **8:183**; no. 126, **8:283**; no. 127, **8:295**; no. 129, **8:351**; no. 135, **8:473**; no. 139, **8:479**; no. 140, **9:17**; no. 150, **9:149**; no. 151, **9:213**; no. 152, **9:223**; no. 153, **9:233**; no. 156, **9:249**; no. 157, **9:265**; no. 163, **9:283**; no. 164, **9:293**; no. 170, **9:397**; no. 172, **9:403**; no. 173, **9:425**; no. 174, **9:431**; no. 180, **10:47**; no. 181, **10:139**; no. 185, **10:191**; no. 189, **10:325**; no. 190, **10:329**, no. 195, **10:509**
- Herpetomonas bancrofti* n. sp. from the latex of a *Ficus* in Queensland, **3:375**
- Hesperidin crystals: carbon dioxide effects on sweet orange, **3:232**
- Hetero-auxin: See Indoleacetic acid
- Hibernation of insect eggs: shortening with low temperature, **8:167**
- Hibernation of seeds: See Dormancy in seeds
- Hibiscus syriacus*: bottom heat influences rooting when treated with indolebutyric acid, **10:461**
- Hickory: seedling production, **8:1**
- Hippeastrum* mosaic: cytological study of characteristic intracellular body, **1:414**
precipitin reaction with tobacco mosaic, **3:532**
- Hippeastrum vittatum*: pollen germination, storage, **8:141**
- HITCHCOCK, A. E. Effect of peat moss and sand on rooting response of cuttings, **1:439**
Indole-3-*n*-propionic acid as a growth hormone and the quantitative measurement of plant response, **7:87**
Tobacco as a test plant for comparing the effectiveness of preparations containing growth substances, **7:340**
- HITCHCOCK, A. E., WILLIAM CROCKER, and P. W. ZIMMERMAN. Effect of illuminating gas on the lily, narcissus, tulip, and hyacinth, **4:155**
Toxic action in soil of illuminating gas containing hydrocyanic acid, **6:1**
- HITCHCOCK, A. E., and P. W. ZIMMERMAN. Absorption and movement of synthetic growth substances from soil as indicated by the responses of aerial parts, **7:447**
Comparative activity of root-inducing substances and methods for treating cuttings, **10:461**
Effect of chemicals, temperature, and humidity on the lasting qualities of cut flowers, **2:196**
Effect of growth substances on the rooting response of cuttings, **8:63**
Relation of rooting response to age of tissue at the base of greenwood cuttings, **4:85**
Unusual physiological responses induced on intact plants by capping with black cloth, **10:389**
The use of green tissue test objects for

- determining the physiological activity of growth substances, 9:463
- HITCHCOCK, A. E.: See also CROCKER, WILLIAM . . . ; ZIMMERMAN, P. W. . . .
- Holly: vegetative propagation, 2:205
- HOLMES, FRANCIS O. Accuracy in quantitative work with tobacco mosaic virus, 1:423
- Cytological study of the intracellular body characteristic of *Iippeastrum* mosaic, 1:414
- Herpetomonas bancrofti* n. sp. from the latex of a *Ficus* in Queensland, 3:375
- Inoculating methods in tobacco mosaic studies, 1:521
- Local and systemic increase of tobacco mosaic virus, 2:563
- Local lesions in tobacco mosaic, 1:504
- Local lesions of mosaic in *Nicotiana tabacum* L., 3:163
- Movement of mosaic virus from primary lesions in *Nicotiana tabacum* L., 4:297
- Symptoms of tobacco mosaic disease, 4:323
- Ultra-violet light photography in the study of plant viruses, 1:407
- HOOPER, FLORENCE E. Disintegration of the cell membrane of the cotton fiber by a pure culture of bacteria, 10:267
- Hormones: increased in plant when upper part was kept in darkness, 10:389
- redistribution with artificial orientation, 9:299
- unequal distribution resulting from tropic responses before and after treatment with growth substances, 9:455
- See also Growth substances
- Humidity: inexpensive instrument for testing, 2:72
- Humidity effects: on absorption of growth substances by plants, 7:447
- on lasting qualities of cut flowers, 2:200
- on transpiration of tobacco in infra-red light, 5:483
- See also Moisture effects; Water effects
- Hyacinthus*: illuminating gas effects, 4:155
- Hybridization: bigeneric gladiolus, 10:189
- new fragrant gladiolus, 10:377
- Hydrocarbons: effects on plants, roots, 5:351
- Hydrocarbons, Aliphatic: effects on respiration in potato tubers, 7:1
- Hydrocyanic acid effects: on glutathione in dormant potato tubers, 5:331
- on respiratory rate of potato tubers, 5:213, 8:41
- Hydrocyanic acid in illuminating gas: toxicity to plants, 6:1
- Hydrogen ion concentration: of *Ambrosia trifida* embryos, 2:291; of dahlia, 1:478; of expressed liquid, from plants, 3:267; from soils, 3:267; of *Nelumbo nucifera* seeds, 1:299, 305; of peats, 4:497; of phosphorus deficient tomatoes, 3:205, 209, 211; of various fruit juices, 3:358
- calcium carbonate effects in plant analysis, 5:103
- carbon dioxide effects, on plants, 5:371, 403, 6:403; on asparagus, 9:137; on dormant potato tubers, 5:471; on fungal hyphae, 6:395; on potato tubers, 7:113
- changes in relation to respiratory rate of potato tubers, 8:41
- chemicals effects on dormant potato tubers, 2:417; juice, 3:499
- correlation, with glutathione increase in dormant potato tubers, 5:346; with iodine reduction in dormant potato tuber juice, 3:504
- determination by capillary glass electrode, 3:347
- ethylene chlorohydrin effects, on *Bryophyllum* leaves, 8:283; on dormant potato tubers, 6:247; on gladiolus corms, 4:131
- halogenated aliphatic compounds effects on potato tubers, 7:1
- isoelectric point of plant tissues, 1:278, 309
- of amylase influences effects, of ethylene chlorohydrin, 5:441; of potassium thiocyanate, 5:441
- of juice from potato tubers treated with ethylene chlorohydrin, 3:321, 6:247
- of various parts of potato tubers, 3:327
- sulphur compounds effects on dormant potato tubers, 5:29
- sulphur dioxide effects on soils, 9:353

- water effects on peats, 4:497
- Hydrogen ion concentration effects on: action of thiocyanates on salivary amylase, 3:287
- activity of growth substances, 9:493, 498
- amylase, 5:441; in potatoes, 2:435
- aquatic angiosperms, 4:438
- callusing of apple cuttings and grafts, 2:351
- holly vegetative propagation, 2:205
- invertase in potatoes, 2:435
- potato oxidase, 2:560
- rooting of cuttings, 1:439
- seeds, See Dormancy in seeds . . . ; Germination of seeds
- Hydrogen peroxide: effects on root growth of cuttings in water, 2:616
- Hydrogen selenide: production by glutathione, by yeast cells, 4:422
- toxicity to spores, 4:415
- Hydrogen sulphide: effects on respiration of dormant potato tubers, 5:29
- injury to plants, 8:189
- production, by glutathione, 4:422; by sulphured leaves and spores, 3:13; by yeast cells, 4:422; in tissues, 4:99
- rôle in fungicidal action of sulphur, 2:389
- toxicity to spores, 2:398, 3:13, 4:415
- Hydrogen telluride: production by glutathione, by yeast cells, 4:422
- toxicity to spores, 4:415
- Hydroids: on aquatic angiosperms, 4:438
- Hydrolysis: inulin, 5:112
- sucrose, 5:103
- Hypocotyls: light effects on growth, 2:270
- seed composition effects on growth, 2:270
- Hyponasty: carbon monoxide effects, 5:195
- growth substances effects, 10:363, 481
- Ilex*: vegetative propagation, 2:205
- Illuminating gas: See Gas, Illuminating
- IMLE, E. P., and ALBERT HARTZELL. A cecidomyid larva infesting flowering stems of lilies, 10:277
- Immunity: in *Nicotiana* to ring spot of tobacco, 4:359
- Incomplete block replications to estimate tobacco-mosaic infectivity, 9:41, 49
- Indian lotus: germination of century-old, recently harvested fruits, 1:289, 295
- Indole compounds, X-ray diffraction analysis, 9:599
- Indole derivatives: colorimetric detection in treated plants, 10:5
- recovered from gladiolus corms treated with indolebutyric acid, 10:5
- Indoleacetic acid: colorimetric detection in treated tissues, 9:455, 507
- comparative effectiveness of three methods of application, 10:461
- distribution through plants, 9:455
- Indoleacetic acid effects: on gladiolus, 10:5
- on plants, 7:87, 349, 447, 8:337; on plants grown under varying light conditions, 8:217
- on rooting, 7:439; of woody cuttings, 8:63
- stimulates rooting on cut surfaces of potato tubers, inhibits sprouting of potato tubers, 9:265
- tropic responses in plants, 9:299
- Indoleacetic acid esters effects: on plants, 8:105, 337
- on plants grown under varying light conditions, 8:217
- Indoleacetic acid salts effects: on plants, 8:337
- Indolebutyric acid: colorimetric method of detecting, 9:455
- comparative effectiveness of three methods of application, 10:461
- comparative efficiency of three different forms in producing roots, 10:461
- concentrations necessary for rooting various plant materials, 10:461
- recovery and identification from indolebutyric acid treated tissues, 9:508
- unequal distribution in treated plants, 9:455
- X-ray diffraction analysis of acid recovered from treated tissues, 9:508
- Indolebutyric acid effects: anatomical study of roots produced, 8:493
- on gladiolus, 10:5
- on plants, 7:209, 349, 447, 8:337; on plants grown under varying light conditions, 8:217
- on rooting, 7:439; of *Syringa vulgaris*, 10:461; of woody cuttings, 8:63
- on tropic responses in plants, 9:299
- Indolebutyric acid esters effects: on plants, 8:105, 337

- on plants grown under varying light conditions, 8:217
- Indolebutyric acid salts effects: on plants, 8:337
- Indolepropionic acid effects: on plants, 7:87, 349, 447, 8:105, 337
on plants grown under varying light conditions, 8:217
on rooting, 7:439; of woody cuttings, 8:63
- Indolepropionic acid esters effects: on plants, 8:105, 337
on plants grown under varying light conditions, 8:217
- Indolepropionic acid salts effects: on plants, 8:337
- Indolevaleric acid: rooting effects, 7:439
- Indophenol reduction, by potatoes: chemicals effects, 2:431
- Infra-red: effects on transpiration in tobacco, 5:483
- Inhibition of growth: See Growth inhibition
- Insect catcher, 1:196
- Insect eggs: shortening hibernation period, 8:167
- Insect transmission of peach yellows: 5:19, 7:183
incubation period, 8:113
- Insecticides: effects on nerves and muscles, 6:211
spreading coefficient, 3:5
surface forces as related to wetting and tracheal penetration, 3:1
See also Acids, Fatty; Chrysanthemum monocarboxylic acid; Dichloroethyl ether, β , β' ; Naphthalene fumigation; Nicotine; Pyrethrin; Pyrethrum; Rotenone; Soaps, Potassium; Thiocyanates
- Insects: cicadas' nerves paralyzed by killer-wasp, 7:421
heat effects, 6:217
insecticides effects, on muscles, 6:219; on nerves, 6:211
short wave radio effects on nerves, 6:217
thiocyanogen compounds effects on nerves, 6:269
tracheal penetration of contact insecticides, 3:8
wind dispersal of cankerworms, and control by banding, 7:365
- Insulated greenhouse, 7:131, 10:15
- Intracellular bodies associated with: *Hippastrum* mosaic, 1:414; peach yellows, 8:375; ring spot, 5:419; tomato mosaic, 1:109
- Intracellular bodies in tobacco mosaic: in detached leaves, 1:347
possible relationship to Stanley's crystals, 8:333, 413
- Intumescence: induced by capping plant, 10:389
- Inulin: hydrolysis, 5:112
- Invertase: acidity effects on dormant potato tubers, 2:435
chemicals effects on potatoes, 2:435
ethylene chlorohydrin effects on dormant, lilac tissues, 4:513; potato tubers, 2:435
- Iodimetric method for determining oxidase activity, 2:558
- Iodine reduction by potato juice: chemicals effects, 2:432, 5:471, 7:113
- Isoelectric point of plant tissues, 1:278, 309
- Japanese beetle: larvae control by β , β' -dichloroethyl ether fumigation, 10:509
- JENKINS, BERNICE: See BOURN, W. S., and BERNICE JENKINS
- JENSEN, JAMES H. Leaf enations resulting from tobacco mosaic infection in certain species of *Nicotiana* L., 5:129
- Jerusalem artichoke: light effects, 8:311
photoperiodism effects on tuberization, 10:11
- JOHNSON, ARNOLD N.: See MCCOOL, M. M., and ARNOLD N. JOHNSON
- JONES, LEWIS R. America's need for plant research. (Address at dedication of Institute), 1:40
- JOSEPH, HILDA C. Germination and keeping quality of parsnip seeds under various conditions, 2:115
Germination and vitality of birch seeds, 2:47
- Juglans cinerea*: seedling production, 8:1
Juglans nigra: seedling production, 8:1
- Killer-wasp: sting paralyzes cicadas, 7:421
- KRAYBILL, H. R., and S. H. ECKERSON. Tomato mosaic. Filtration and inoculation experiments, 1:329
- KUNKEL, L. O. Celery yellows of California

- not identical with the aster yellows of New York, 4:405
- Insect transmission of peach yellows, 5:19
- Studies on aster yellows, 1:181
- Studies on aster yellows in some new host plants, 3:85
- Lactuca sativa*: chemistry of germination, 9:329
- dormancy in seeds, 8:25
- germination of seeds, 8:25, 9:329
- Latex flagellates: in *Ficus scabra*, 3:375
- in five plants, 3:378
- Leaf enations: *Nicotiana* infected by tobacco mosaic, 5:129
- Leaf roll of potato: ultra-violet photography, 1:407
- Leafhoppers: noninfected ones unable to transmit cranberry false blossom, 3:79
- See also *Cicadula sexnotata*; *Euscelis striatulus*; *Macropsis trimaculata*
- Leaves: available carbon and nitrogen effects on growth of seedlings, 1:251, 2:1, 274
- bases for calculations in measuring diurnal changes, 5:181
- changes during period preceding frost, 5:297
- diurnal changes, 4:65
- effects on vegetative propagation of holly, 2:210, 215
- light effects, 2:184, 270
- produce hydrogen sulphide when dusted with sulphur, 3:13
- seed composition effects, 2:270
- twin-leaf method of studying changes, 2:592, 4:65, 5:181, 297
- Length of day: See Photoperiodism
- Lenticels: oxygen effects on development, 2:625
- Lettuce: See *Lactuca sativa*
- Light: transmission through glass filters, 2:167
- Light duration: See Photoperiodism
- Light effects: capping tomato plants produces effects similar to those of growth substances, 10:389
- equipment for study at Institute in 1924, 1:16
- on aquatic angiosperms, 4:425
- on chloroplast pigments, 2:220
- on citric acid content of *Bryophyllum* leaves, 8:283
- on dormant gardenia flower buds, 8:405
- on germination, See Germination of seeds: light effects
- on growth of seedling, 1:115, 2:251; in relation to available nitrogen and carbon, 2:1
- on holly vegetative propagation, 2:210
- on Jerusalem artichoke tuberization, 8:311
- on *Lycopodium* vegetative propagation, 7:267
- on microchemistry of plants, 1:123
- on morphology of plants, 1:123
- on nitrate reduction by plants, 4:119
- on oxygen content of water in which green cuttings were rooting, 2:629
- on plants' response to growth substances, 7:447, 8:217, 9:488, 10:481
- on red pigment production in apples, 4:1
- on root production by plants treated with carbon monoxide, 5:195
- on stems, 2:184
- on sulphur dioxide injury to plants, 10:155
- on tobacco infected by tobacco mosaic, 5:139
- on transpiration in tobacco, 5:483
- on tropic responses of plants treated with growth substances, 9:299, 455
- substitution of growth substances for hormones lost when plants were placed in darkness, 9:299
- See also Ultra-violet effects
- Light intensity effects: ecological significance, 2:191
- on manganese content of plants, 7:427
- on mineral composition of tomato plants, 9:105
- on plants, 2:159, 445, 6:225, 7:119, 8:433
- Light quality effects: on plants, 1:241, 397, 2:159, 7:119, 8:433
- on root formation in cuttings treated with growth substances, 9:488
- Light, Artificial: use to supplement daylight, 2:446
- insulated greenhouse, 7:131, 10:15

- See also Mazda lamps; Mercury arc lamps; etc.
- Light, Polarized: cotton fiber wall studies, 4:273
- Lilac: See *Syringa vulgaris*
- Lilium*: germination of seeds, 8:297
illuminating gas effects, 4:155
Penicillium rot, 8:361
pollen germination, 8:141
pollen storage, 8:141, 9:199
- Lilium auratum*: cecidomyid larvae infestation, 10:277
- Lilium giganteum*: development of floral axis, new bud, 7:311
- Lilium longiflorum*: development of floral axis, new bud, 7:311
oxygen effects on dormancy, 10:381
- Lily mosaic: precipitin reaction with tobacco mosaic, 3:532
- Limax*: probably unable to transmit tobacco mosaic, 1:353
- Lipase in seeds: lettuce, 9:329
Rhodotypos kerrioides, 5:143
- LIPMAN, JACOB G. Address at dedication of Institute, 1:57
- Local lesion method for measuring tobacco mosaic virus concentration: 1:504
statistical study, 6:437, 7:37, 9:41, 49
- Local lesions of tobacco mosaic: in bean leaves, 2:549
in tobacco, 3:163
- LOJKIN, MARY. Inactivation of tobacco mosaic virus by ascorbic acid, 8:335
Moisture and temperature requirements for yarovization of winter wheat, 8:237
Some effects of ultraviolet rays on the vitamin D content of plants as compared with the direct irradiation of the animal, 3:245
A study of ascorbic acid as an inactivating agent of tobacco mosaic virus, 8:445
- LOJKIN, MARY, and CARL G. VINSON. Effect of enzymes upon the infectivity of the virus of tobacco mosaic, 3:147
- Longevity: of pollen, 8:141, 10:429
of seeds, See Seeds: vitality
- Lotus, Indian: germination of century-old, recently harvested fruits, 1:289, 295
water absorption by seeds, 1:301
- Lycopodium*: anatomy of spore coat, 7:267
mycorrhiza in, 7:295
spore germination, 7:267, 8:233
transplantation, 7:267
vegetative propagation, 7:267
- MCCALLAN, S. E. A., ALBERT HARTZELL, and FRANK WILCOXON. Hydrogen sulphide injury to plants, 8:189
- MCCALLAN, S. E. A., and FRANK WILCOXON. The action of fungus spores on Bordeaux mixture, 8:151
The form of the toxicity surface for copper sulphate and for sulphur, in relation to conidia of *Sclerotinia americana*, 5:173
Fungicidal action and the periodic system of the elements, 6:479
The fungicidal action of sulphur. II. The production of hydrogen sulphide by sulphured leaves and spores and its toxicity to spores, 3:13
Laboratory comparisons of copper fungicides, 9:249
The precision of spore germination tests, 4:233
- MCCALLAN, S. E. A.: See also WILCOXON, FRANK . . .
- MCCOOL, M. M. Composts, 8:263
Effect of light intensity on the manganese content of plants, 7:427
Effect of thallium sulphate on the growth of several plants and on nitrification in soils, 5:289
Effect of various factors on the pH of peats, 4:497
Effect of various factors on the soluble manganese in soils, 6:147
Fertilizer value of a new nitrogenous material, 8:13
Fertilizer value of colloidal phosphate, 10:257
Use of peats in composts to increase nitrification and plant growth, 4:257
Value of peats for mineral soil improvement, 4:245
- MCCOOL, M. M., and ARNOLD N. JOHNSON. Nitrogen and sulphur content of leaves of plants within and at different distances from industrial centers, 9:371
- MCCOOL, M. M., and A. MEHLICH. Soil

- characteristics in relation to distance from industrial centers, 9:353
- McCool, M. M., and W. J. Youden. The pH and the phosphorus content of the expressed liquids from soils and plant tissues, 3:267
- McLean, Forman T. A bigeneric gladiolus hybrid, 10:189
- A new fragrant gladiolus hybrid, 10:377
- Macropsis trimaculata*: bionomics, 9:121
- incubation period of peach yellows, 8:113
- peach yellows carrier, 5:19, 7:183, 8:113, 9:121
- Malonic acid: effects on plants, 7:95
- Malt: as affected by ethylene chlorohydrin, potassium thiocyanate, 5:441
- Manganese: solubility in soils, 6:147
- Manganese in plants: light intensity effects, 7:427
- Mazda lamps: effects on plants, 7:119, 131, 10:15
- Meal worms: formic acid toxicity, 7:424
- Medicago sativa*: sulphur dioxide effects, 9:179, 10:155
- Mehlich, A.: See McCool, M. M. . . . ; Youden, W. J. . . .
- Menusan, H., Jr.: See Dills, L. E., and H. Menusan, Jr.
- Mercerization: cuprammonium hydroxide treatment of cotton cellulose, 10:113
- Mercuric disinfectants: effects on activity of chemicals applied to overcome dormancy in potato tubers, 9:397
- Mercury: toxicity to plants, 6:167
- Mercury arc lamps: effects on plants, 8:433
- Mercury compounds: effects on germination of seeds, 1:272
- Mercury vapor lamps effects: on mineral composition of plants, 6:225, 9:105 on plants, 7:119
- Meristem: growth substances effects on *Tradescantia fluminensis*, 9:439
- Mesityl oxide: effects on dormant potato tubers, 7:178
- Metabolism: ethylene chlorohydrin effects, on *Bryophyllum* leaves, 8:283; on dormant potato tubers, 6:247
- growth substances effects, 10:481
- light effects on *Bryophyllum* leaves, 8:283
- phosphorus deficiency effects on tomato, 3:197
- Methyl disulphide breaks dormancy: in lilacs, 5:71
- in potato tubers, 3:309, 5:71
- Methylene blue reduction: by potato juice as affected by chemical treatments, 2:430, 3:499, 5:471, 7:113, 8:41
- changes in relation to respiratory rate of potato tubers, 8:41
- Miller, Lawrence P. Decomposition of ethylene chlorohydrin in potato tubers, 8:479
- Effect of sulphur compounds in breaking the dormancy of potato tubers and in inducing changes in the enzyme activities of the treated tubers, 5:29
- The effect of the alkyl halides on the respiration of potato tubers, 6:279
- The effect of thiocyanates upon amylase activity. II. Salivary amylase, 3:287
- The effect of treatments with ethylene chlorohydrin on the pH of the expressed juice of potato tubers, 3:321
- Effect of various chemicals on the sugar content, respiratory rate, and dormancy of potato tubers, 5:213
- Evidence that plant tissue forms a chlorine-containing β -glucoside from ethylene chlorohydrin, 9:213
- Formation of β -(2-chloroethyl)-*D*-glucoside by gladiolus corms from absorbed ethylene chlorohydrin, 9:425
- Further experiments on the effect of halogenated aliphatic compounds on the respiration of potato tubers, 7:1
- The influence of sulphur compounds in breaking the dormancy of potato tubers. Preliminary report, 3:309
- Synthesis of β -(2-chloroethyl)-*D*-glucoside by potato tubers treated with ethylene chlorohydrin, 10:139
- Time relations in effect of ethylene chlorohydrin in increasing and of ethyl alcohol in decreasing the respiration of potato tubers, 6:123
- Miller, Lawrence P., and F. E. Denny. Relation between quantity of ethylene chlorohydrin absorbed and growth response in treatments for shortening the rest period of potato tubers, 8:121
- Miller, Lawrence P., John D. Guthrie, and F. E. Denny. Induced changes

- in respiration rates and time relations in the changes in internal factors, 8:41
- MILLER, LAWRENCE P.: See also DENNY, F. E. . . . ; GUTHRIE, JOHN D. . . .
- Mimosa pudica*: anaesthetic effects of growth substances in vapor form, 10:363
carbon dioxide effects, 5:195
- Mineral composition of plants: ashing method, 8:199
light intensity effects, 6:225, 9:105
nutrient solutions effects, 9:105
- Mite, Red spider: fumigation with naphthalene, 2:519
- Moisture effects: on germination of seeds, See Dormancy in seeds: water effects; Germination of seeds: water effects
on rooting of cuttings, 1:439
on stored pollen, 8:141, 10:429
on sulphur dioxide injury to plants, 10:155
See also Humidity effects; Water effects
- MORINAGA, TOSHITARO. Effect of alternating temperatures upon the germination of seeds, 1:82
The favorable effect of reduced oxygen supply upon the germination of certain seeds, 1:100
Germination of seeds under water, 1:67
- Morphology: development of floral axis, new buds in Easter lilies, 7:311
of gladiolus, 3:173
of seeds, See Seeds: morphology
- Mosaic diseases: See *Abutilon* mosaic; *Aucuba* mosaic; Bean mosaic; Cucumber mosaic; Dahlia mosaic; *Hippeastrum* mosaic; Lily mosaic; Rugose mosaic; Sugar cane mosaic; Tobacco mosaic; Tomato mosaic
- Moss: See Peat moss
- Mustard oil: from Cruciferae kills potato plants, 9:431
- Mycorrhiza: in *Lycopodium*, 7:295
in trailing arbutus, 8:81
- Myrica carolinensis*: germination of seeds, 4:19
- Myzus persicae*: transmits dahlia mosaic, 5:235
- Naias flexilis*: ecological and physiological studies, 4:425
- Rhizoctonia* disease, 1:383
- Naphthalene compounds: inhibit bud growth, 10:481
X-ray diffraction analysis, 9:509
- Naphthalene fumigation: 5:461; at controlled concentrations, 2:512
effects on insects, 2:512
toxicity to plants, 2:512
- Naphthaleneacetic acid: comparative effectiveness of three methods of application, 10:461
preparation, 8:467
- Naphthaleneacetic acid effects: on gladiolus corms, 10:5
on plants, 7:209, 349, 447, 8:337; on plants grown under varying light conditions, 8:217
on rooting, 7:439; of woody cuttings, 8:63
on tropic responses in plants, 9:299
- Naphthaleneacetic acid esters effects: on plants, 8:105, 337
on plants grown under varying light conditions, 8:217
- Naphthaleneacetic acid methyl ester vapor: inhibits bud growth of potato tubers, 10:325
produces epinasty in tomato leaves 10:325
- Naphthaleneacetic acid salts effects: on plants, 8:337
- Naphthaleneglycollic acid: preparation, 8:467
- Naphthaleneglyoxalic ethyl ester: preparation, 8:467
- Naphthoylacetonitrile, β , Irradiated: effects on plants, 10:197
- Naphthylacetonitrile, α : effects on plants, 7:209
- Narcissus*: illuminating gas effects, 4:155
- Nelumbo nucifera*: germination of century-old, recently harvested fruits, 1:289, 295
water absorption by seeds, 1:301
- Neon lamps: effects on plants, 7:119
- Nerves of insects: insecticides effects, 6:211
short wave radio effects, 6:217
thiocyanogen compounds effects, 6:260
triorthocresyl phosphate effects, 6:213
- NEWELL, JOHN M.: See ARTHUR, JOHN M., and JOHN M. NEWELL

- Nicotiana* ring spot: See Ring spot of tobacco
- Nicotiana tabacum*: use in testing growth substances, 7:349
- Nicotine: toxicity to *Aphis rumicis*, 3:5
- Nitrate formation by peats: in composts, 4:257
in mineral soils, 4:245
- Nitrate metabolism: in apple trees, 3:405
in tomato, 3:197
- Nitrate reduction: by plants as affected by light, 4:119
See also Reducase
- Nitrates: accumulated in dahlia in short day, 1:471
in tomato, 3:197
- Nitrates effects on: chemical composition of plants, 2:470
chloroplast pigments, 2:241
growth of seedlings, 1:115, 2:1, 251, 274
- Nitric acid: ethylene chlorohydrin effects on metabolism of dormant potato tubers, 6:247
- Nitrification in soils: thallium sulphate effects, 5:289
- Nitrocinnamic acids, Irradiated: effects on plants, 10:197
- Nitrogen: changes in leaves, before frost, 5:297; during the night, 5:181
in apple trees, 3:405
- Nitrogen effects on: ascorbic acid, glutathione production in chemically treated potato tubers, 9:17
callusing of apple cuttings and grafts, 2:374, 385
centipedes, insects, 7:147
germination, See Germination of seeds: nitrogen effects
seedling growth in relation to nitrogen reserves in seeds, 1:115
vitality of *Nelumbo nucifera* seeds, 1:297
- Nitrogen compounds: artificial climates effects on plant composition, 2:445
ethylene chlorohydrin effects on dormant gladiolus corms, 5:435
in potato tubers, 2:131
seed composition effects on seedling growth, 2:1, 251, 274
utilization by potato sprouts, 2:97
- Nitrogen fertilizers: 8:13
effects on composts, 8:263
- Nomogram used with: Gutzzeit arsenic de-terminations on apples, 3:363
seed germination data, 4:219
toxicity tests of fungicides, 10:336
- Nutrient solutions: for aquatic angiosperms, 4:459
irradiated tomato plants grown in, 9:105
- Nuts: germination, 8:1
- Oakleaf: in dahlia, 5:282
- Oats: cellulose in coleoptile epidermis, 10:127
growth substances effects on coleoptile, 10:481
yarovization of seeds, 8:237
- OHGA, ICHIRO. Comparison of the life activity of century-old and recently harvested Indian lotus fruits, 1:295
A double maximum in the rate of absorption of water, by Indian lotus seeds, 1:301
The germination of century-old and recently harvested Indian lotus fruits, with special reference to the effect of oxygen supply, 1:289
- O'LEARY, KEITH, and C. E. F. GUERMAN. *Penicillium* rot of lily bulbs and its control by calcium hypochlorite, 8:361
- Onion thrips: fumigation with naphthalene, 2:519
- Organic acids: acidification by addition of salts, 1:322
- Osmotic pressure: as related to growth in asparagus shoots, 3:483
- Oxidase: effect of enzyme concentration on activity, 2:560
inhibits sulphur reduction by gladiolus and potato juice, 3:125
iodimetric method for determining activity, 2:558
- Oxygen: micro-determination in water, 2:617
necessary for development of glutathione, ascorbic acid in potato tubers, 9:17
- Oxygen effects on: aquatic angiosperms, 4:459
callusing of apple cuttings and grafts, 2:351
dormancy, See Dormancy . . .
germination, See Germination of seeds: oxygen effects

- gladiolus corms treated with growth substances, 10:5
 lily bulbs, 10:381
Neurospora sitophila, 5:95
 root growth of cuttings in water, 2:616
 roses, 2:535
- Paeonia suffruticosa*: seedling production, 5:451
- Palaecrita vernata*: control by banding, wind dispersal, 7:365
- Pancreatin: ethylene chlorohydrin, potassium thiocyanates effects, 5:441
- Paper pots: effects on plant growth, 8:317
- Paradichlorobenzene: effects on dormant potato tubers, 7:178
- Parsnip: germination and keeping quality of seeds, 2:115
- Parthenocarpy: growth substances effects, 10:363
 methyl and ethyl α -naphthaleneacetate effects, 10:481
- Particle size: determination, 3:515
- Pastinaca sativa*: germination and keeping quality of seeds, 2:115
- Peach: See *Prunus persica*
- Peach leafhopper: See *Macropsis trimaculata*
- Peach yellows: 7:183
 aster probably immune, 3:113
Cicadula sexnotata unable to transmit to aster, 1:211; to peach, 1:211, 3:111
 incubation period, 8:113
 insect transmission, 5:19
 intracellular bodies, 8:375
Macropsis trimaculata vector, 5:19, 7:183
 precipitin reaction with tobacco mosaic, 3:532
- Peat moss: buffer properties, 1:451
 hydrogen ion concentration, 3:267, 4:497
 phosphorus content, 3:267
 stratification of rosaceous seeds, 3:385
- Peat moss effects on: callusing of apple cuttings and grafts, 2:351
 composts, 4:257
 germination of birch seeds, 2:50
 holly propagation, 2:205
 mineral soils, 4:245
 rooting response of cuttings, 1:439
- Pectic acid: in cotton, 9:1
- Pectin: in cellulose membranes, 6:189; separation, 6:309
- Pectin solutions: acidification by addition of salts, 1:323
- "Penetrol": as emulsifying agent for thiocyanogen compounds, 6:269, 7:29, 497
 effects on toxicity of nicotine to *Aphis rumicis*, 3:8
- Penicillium* rot: control in lilies, 8:361
- Pentathionates: preparation, 2:395
 toxicity to fungi, 2:407
- Pentathionic acid: rôle in fungicidal action of sulphur, 2:389
 toxicity to fungi, 2:394
- Periderm: of potato tubers, 10:339
 permeability in relation to dormancy, 10:339
- Peroxidase: changes in relation to respiratory rate of potato tubers, 8:41
 chemicals effects on dormant potato tuber juice, 2:417, 3:499, 8:41
 ethylene chlorohydrin effects, on dormant potato tubers, 2:426; on gladiolus corms, 4:131
 in *Symphoricarpos racemosus* seeds, 6:91
 method of determining activity, 5:34
 sodium thiocyanate effects on dormant potato tubers, 2:426
 sulphur compounds effects, 5:29
 thiourea effects on dormant potato tubers, 2:426
- PERRY, LEWIS. Address at dedication of Institute, 1:54
- PETRE, A. W. Factors influencing the activity of tobacco mosaic virus preparations, 7:19
- PETRE, A. W.: See also VINSON, C. G. . . .
- PFEIFFER, NORMA E. Anatomical study of plants grown under glasses transmitting light of various ranges of wave lengths, 1:397
 Anatomical study of root production on application of indolebutyric acid to *Cissus* aerial roots, 8:493
 Development of the floral axis and new bud in imported Easter lilies, 7:311
 Life of *Gladiolus* pollen prolonged by controlled conditions of storage, 10:429
 Longevity of pollen of *Lilium* and hybrid *Amaryllis*, 8:141
 Microchemical and morphological studies of effect of light on plants, 1:123

- A morphological study of *Gladiolus*, 3:173
- Morphology of the seed of *Symphoricarpos racemosus* and the relation of fungal invasion of the coat to germination capacity, 6:103
- Viability of stored *Lilium* pollen, 9:199
- pH: See Hydrogen ion concentration
- Phenol compounds: as fungicides, 7:333
- Phenyl compounds: effects on dormant potato tubers, 10:481
- Phenylacetic acid: effects, on plants, 7:209, 349, 447, 8:337; on plants grown under varying light conditions, 8:217; on rooting, 7:439; of woody cuttings, 8:63
- esters effects, on plants, 8:105, 337; on plants grown under varying light conditions, 8:217
- salts effects on plants, 8:337
- Phenylacrylic acid: See Cinnamic acid
- Phenylpropionic acid: effects on plants, 7:95, 349, 447
- Phloem: growth substances effects on *Tradescantia fluminensis*, 9:439
- Phosphatase: ethylene chlorohydrin effects, 9:293
- inhibitor, 9:293
- Phosphate: fertilizer value of colloidal, Tennessee brown rock, 10:257
- Phosphate solutions: acidification by addition of salts, 1:320
- Phosphates: effects on chloroplast pigments, 2:241
- Phosphoric acid: as source of phosphorus for plants, 9:105
- Phosphorus: deficiency effects on metabolism of tomato, 3:197
- in expressed liquid from soils, 3:267
- radiation effects on plants, 9:105
- Phosphotungstic reagent reduction in potatoes: chemicals effects, 2:433
- Photography: of bacteria, 1:412
- ultra-violet light photography in study of plant viruses, 1:407
- Photoperiodism effects on: plant growth, 2:445, 7:131, 10:15
- root formation and flowering of dahlia cuttings, 1:467
- tuberization of *Helianthus tuberosus*, 10:1
- Photosynthesis: twin-leaf method of measuring changes in leaves, 2:50
- Phototropism: effects on distribution of growth substances through plants, 9:455
- Pigment, Brown, soluble in dilute acetone: determination, 2:224
- Pigments: carbon dioxide effects on fruits and vegetables, 3:219
- chemicals effects on potato juice, 2:431
- determinations of chloroplast pigments, 2:224
- environment effects on chloroplast, 2:220
- ethylene and illuminating gas effects on roses, 3:459
- production in apples by artificial light, 4:1
- sulphur compounds effects, 5:29
- thiourea prevents browning of plant juices, tissues, 7:55
- tomato mosaic effects on chloroplast, 2:244
- See also Anthocyanin; Chlorophyll; Xanthophyll
- Plum, Wild: germination and storage of seeds, 4:39
- Plum leathopper: See *Macropsis trimaculata*
- Polarity: effects on callusing of apple cuttings and grafts, 2:357, 378, 385
- Polarized light: cotton fiber wall studies, 4:273
- Pollen: germination, 8:141, 10:429
- storage, 8:141, 9:199, 10:429
- viability prolonged by storage conditions, 10:429
- Polysaccharides, changes in leaves: before frost, 5:297
- during night, 5:181
- Popillia japonica*: larvae control by β , β' -dichloroethyl ether fumigation, 10:509
- POPP, HENRY WILLIAM. Physiological study of the effect of light of various ranges of wave length on the growth of plants, 1:241
- PORTER, L. C.: See A. L. C. PORTER
- Portulaca oleracea*: roots in
- Potamogeton*
- Potamogeton*

- Rhizoctonia* disease, 1:383
- Potassium: deficiency effects on nitrate reduction by plants, 4:125
effects on chloroplast pigments, 2:241
- Potassium cyanide effects on: acidity of potato tubers, 3:499
amylase activity of potato juice, 3:297, 4:53
catalase, peroxidase, reducing properties of potato tubers, 3:499
- Potassium soaps: as contact insecticides, 7:63
- Potassium thiocyanate effects: causes multiple sprouts on potato, 1:160
on amylase activity, 4:53, 5:441
on dormant potato tubers, 5:83, 7:178
on takadiastase, 5:441
- Potato: See *Solanum tuberosum*
- Pots, Fiber and Paper: effects on plant growth, 8:317
- Precipitin reactions: device for lighting, 6:165
freeing tobacco mosaic virus from accompanying solids, 1:479
of filterable plant viruses, 6:407
specificity in tobacco mosaic, 3:529
- PRICE, W. C. Acquired immunity to ring-spot in *Nicotiana*, 4:359
Local lesions on bean leaves inoculated with tobacco mosaic virus, 2:549
- PRIDE, C. N. Further studies in the ring-spot disease of tobacco, 1:341
- Probable error: calculation from duplicate determinations, 2:226
- Propagation: See Germination of seeds; Growth substances; Rooting
- Propyl chloride: produces epinasty, 10:191
- Propylene effects: epinasty of leaves, 4:104
on centipedes, insects, 7:147
on plants, 5:351, 7:147, 209, 231
on roots, 5:351
- Protein: seed composition effects on seedling growth, 2:1, 251, 274
protein solutions: acidification by addition of acetic acid, 7:223
as host to *Macropsis*, 7:119, 7:1183, 8:113, 9:121
storage of seeds, 4:39
after-ripening of seeds, 6:205, 8:289
- germination of seeds, 3:385, 6:205, 8:289
seed storage, 3:385
seed testing, 8:289
- Ptelea*: germination of seeds, 8:355
- PURDY, HELEN A. Attempt to cultivate an organism from tomato mosaic, 1:146
Improbability of tobacco mosaic transmission by slugs, 1:353
Multiplication of the virus of tobacco mosaic in detached leaves, 1:347
- PURDY, HELEN A.: See also BEALE, HELEN PURDY
- Purslane: origin of adventitious roots in cuttings, 3:337
- Pyrethrin I: determination, 8:175
toxicity of acidic portion, 10:143
- Pyrethrins I and II: effects on insects, 6:212
extraction method, 5:115
relative toxicity to insects, 5:115, 8:183
- Pyrethrum: analysis, 8:175
chemistry, 4:107, 5:115
toxicity curve, 4:107
toxicity to *Aphis rumicis*, 4:107, 5:115
ultra-violet effects, 4:107
- Pyrus aucuparia*: See *Sorbus aucuparia*
- Pyrus malus*: after-ripening, dormancy, and germination of seeds, 6:205
after-ripening, germination and storage of seeds, 3:385
arsenic spray residue, 3:363
browning of tissues prevented by thiourea, 7:55
callusing of cuttings and grafts, 2:351
dwarfing, 6:205
red pigment production by artificial light, 4:1
seasonal distribution of reducase in various organs, 3:405
vitality test of seeds, 9:339
- Pyruvic acid: effects on plants, 7:95
- RABINOWITSCH, BRUNO. Observations on the structure of cotton fibers in the dark field, 8:401
- Radiant energy: See Infra-red; Light; Mazda lamps; Mercury arc lamps; Mercury vapor lamps; Neon lamps; Photoperiodism; Short wave radio; Sodium Lamps, Sodium vapor lamps; Ultra-violet
- Radish: See *Raphanus sativus*

- Ragweed: primary dormancy, after-ripening, and development of secondary dormancy in embryos, 2:285
- Raphanus sativus*: mustard oil constituent kills potato plant, 9:431
- Red spider mite: fumigation with naphthalene, 2:519
- Reducase: influence of phosphorus deficiency on metabolism of tomato, 3:197
seasonal distribution in various organs of apple tree, 3:405
- Reducing system in tissues: 4:99, 119
carbon dioxide effects, 5:478, 7:113
chemicals effects, 2:435, 3:499
ethylene chlorohydrin effects, 2:417, 9:17
sulphur compounds effects, 5:29
- Reduction of iodine by potato juice: chemicals effects, 3:499
correlation with pH, 3:504
- Regeneration: See Germination; Rooting
- REID, MARY E. Effect of variations in the amounts of available carbon and nitrogen on the growth of wheat seedlings, 2:274
Growth of seedling in relation to composition of seed, 1:115
Growth of seedlings in light and in darkness in relation to available nitrogen and carbon, 2:1
Relation of composition of seed and the effects of light to growth of seedlings, 2:251
- Resorcinol derivatives: as fungicides, 7:333
- Respiration: of *Ambrosia trifida* embryos, 2:296; of gladiolus corms during prolonged dormancy, 10:453; of lilac twigs, 4:513
alkyl halides effects on dormant potato tubers, 6:279, 7:1
carbon dioxide effects, on asparagus, 9:137; on fruits and vegetables, 3:219; on plants, 5:371, 403; on potato tubers, 3:239, 5:471; 7:113
changes in leaves during the night, 4:65
chemicals effects on dormant potato tubers, 5:213, 8:41
ethyl alcohol effects on potato tubers, 5:213, 6:123, 8:41
ethylene chlorohydrin effects on potato tubers, 6:123, 8:41
growth substances effects, 10:481
halogenated aliphatic compounds effects on dormant potato tubers, 7:1
hydrogen sulphide effects on dormant potato tubers, 5:29
increases in relation to breaking of dormancy, 5:213
oxygen effects on dormant potato tubers, 5:471
relation to chemical changes in potato tubers, 8:41
sulphur compounds effects on dormant potato tubers, 5:29
- Respiration of seeds: *Nelumbo nucifera*, 1:298
Xanthium, 2:310
- Rest period: See Dormancy
- Rhizoctonia solani*: on aquatic plants, 1:383, 4:441
- Rhodotypos kerrioides*: after-ripening of seeds, 5:143, 161
dwarfing, 5:161
vitality test of seed, 9:339
- Rickets: effects of ultra-violet rays on vitamin D content of plants as compared with direct irradiation of animals, 3:245
- Ring spot of dahlia, 5:276
- Ring spot of tobacco: host plants, 1:343; *Nicotiana*, 5:419; petunia, 5:430; *Phaseolus lunatis*, 4:366; *Phaseolus vulgaris*, 4:366; *Vigna sinensis*, 4:366
acquired immunity in *Nicotiana*, 4:359
cellular changes, 6:51
comparison with tobacco mosaic in bean varieties, 2:557
intracellular bodies, 5:419
local lesion method for measuring virus concentration, 7:37
temperature effects on virus, 1:344
ultra-violet photography, 1:407
- Rio Grande disease: See Aster yellows
- Ripening: carbon dioxide effects on fruits and vegetables, 3:219
- ROBINS, RAYMOND. Address at dedication of Institute, 1:49
- Rock garden plants: germination of seeds, growth, 10:235
- Rooting: of apple, 2:351; of coleus, 2:39; of dahlia in different day lengths, 1:467; of holly, 2:205; of *Lycopodium*,

- 7:267; of *Portulaca oleracea*, 3:337; of roses, 5:313; of trailing arbutus, 8:81
- age of tissue effects, 4:85
- bottom heat effects on indolebutyric acid treated cuttings, 10:461
- capping effects, 10:389
- carbon monoxide effects, 5:1
- comparative effectiveness of growth substances in solutions and powders, in various concentrations, 10:461
- growth substances effects, 7:439, 447, 10:363, 481; on woody cuttings, 8:63
- hydrocarbons effects, 5:351
- indolebutyric acid effects on *Syringa vulgaris*, 10:461
- light effects, on dahlia, 1:467; on plants treated with carbon monoxide, 5:195
- microchemical studies of rose cuttings, 1:529
- oxygen effects on cuttings in water, 2:616
- peat moss effects, 1:439, 446
- qualitative and quantitative differences induced by growth substances, 10:5; as influenced by condition of plant material, 10:461
- sand effects, 1:439, 446; on holly, 2:205
- slag effects on holly, 2:205
- specificity of growth substances, 9:467
- talc effects, 10:461
- temperature effects on holly, 2:211
- tissues producing, increased with increased concentration of growth substances, 9:489
- water effects, 1:439
- Roots: anatomical study of root-producing tissues treated with growth substances, 9:439
- anatomical study of roots produced by indolebutyric acid, 8:493
- available carbon and nitrogen effects on growth, 2:1, 274
- carbon monoxide effects, 5:1, 195
- comparative effectiveness of ethylene and growth substances, 7:231
- growth substances effects, 7:87, 209, 349, 439, 447
- hydrocarbons effects, 5:351
- light effects, 2:182, 251
- number increased with increase of concentration of growth substances, 9:486
- produced on cut surfaces of potato tubers by indoleacetic acid, 9:265
- seed composition effects, 2:251
- Roots, Adventitious: origin in coleus, 2:39; in *Portulaca oleracea*, 3:337; in roses, 5:313
- Roots, Contractile: morphology, of gladiolus, 3:173
- Rosa: anatomy of canes, 5:313
- carbon dioxide effects on cut flowers, 2:535
- development of adventitious roots, 5:313
- ethylene effects, 3:459
- illuminating gas effects, 3:459
- microchemical studies of cuttings, 1:529
- Rosaceae: after-ripening, germination, and storage of seeds, 3:385
- Rotenone: effects on insects, 6:217, 7:497
- Rugose mosaic of potato: ultra-violet photography, 1:407
- Ruppia maritima*: ecological and physiological studies, 4:425
- Rhizoctonia* disease, 1:383
- sea-water tolerance, 7:249
- Saliva: thiocyanates effects on amylase, 3:287
- Salts effects: acidification of unbuffered solutions by plant tissues, 1:309
- on acidity of peats, 4:497
- on aquatic angiosperms, 4:458
- Salts, of organic acids: See name of acid
- Salvia*: twin-leaf method of studying changes in leaves, 2:592
- Sampling: calculation for duplicate determinations, 2:226
- errors in sampling plants, 2:455
- method for soils, 9:59
- nomogram for use in connection with Gutzeit arsenic determinations on apples, 3:363
- precision in spore germination tests, 4:233
- statistical analysis of seed germination data, 4:219
- SCHOENER, FATHER GEORGE: hybrid rose germination, 3:400
- SCHROEDER, ELTORA M. Dormancy in seeds of *Benzoin aestivale* L., 7:411
- Germination of fruits of *Ptelea* species, 8:355
- SCHROEDER, ELTORA M., and LELA V. BAR-

- TON. Germination and growth of some rock garden plants, 10:235
- Sea-water effects: on aquatic angiosperms, 4:458
- Sea-water tolerance of: *Potamogeton foliosus*, 6:303
Ruppia maritima, 7:249
Vallisneria spiralis, 6:303
- Secondary dormancy in seeds: *Ambrosia trifida*, 2:285
Sorbus aucuparia, 3:413
- Seed sterilization: birch, 2:47
- Seed storage: 2:115; birch, 2:47; delphinium, 4:141; desert plants, 8:7; elm, 10:221; flowers, 10:399; parsnip, 2:115; *Picea*, *Pinus*, 7:379; *Sorbus aucuparia*, 3:413; vegetables, 7:323, 10:205; wild plum, 4:39
- Seed testing: rapid viability test, 9:339
 See also Seeds: vitality
- Seedling growth: available carbon and nitrogen effects, 2:1, 251, 274
 carbon dioxide effects, 2:1, 251, 274
 growth substances effects, 10:481
 light effects, 2:1, 182, 251
 seed composition effects, 1:115, 2:1, 251, 274, 5:161, 6:205
- Seeds: after-ripening, See After-ripening of seeds
 century-old *Nelumbo nucifera*, 1:292, 295
 composition effects on seedling growth, 1:115, 2:1, 251, 274, 5:161, 6:205
 dormancy, See Dormancy in seeds
 germination, See Germination of seeds
 morphology, gladiolus, 3:186; *Symphoricarpos racemosus*, 6:103
 respiration, See Respiration of seeds
 storage, See Seed storage
 testing, See Seed testing
 vitality, 9:339; of birch, 2:47; of *Nelumbo nucifera*, 1:292, 295, 301; of parsnip, 2:115; of peach, 8:289; of Rosaceae, 3:385; of *Sorbus aucuparia*, 3:413; See also Seed storage
 water absorption by century-old *Nelumbo nucifera*, 1:301
 yarovization of oats, wheat, 8:237
- Selenium: toxicity compared to sulphur, tellurium, 4:415
- Serum reactions: device for lighting precipitin tests, 6:165
 of filterable plant viruses, 6:407
 of tobacco mosaic, 3:529
- SETTERSTROM, CARL. Sulphur dioxide content of air at Boyce Thompson Institute. II, 10:183
- SETTERSTROM, CARL, and P. W. ZIMMERMAN. Apparatus for studying effects of low concentrations of gases on plants and animals, 9:161
 Factors influencing susceptibility of plants to sulphur dioxide injury. I, 10:155
 Sulphur dioxide content of air at Boyce Thompson Institute, 9:171
- SETTERSTROM, CARL, P. W. ZIMMERMAN, and WILLIAM CROCKER. Effect of low concentrations of sulphur dioxide on yield of alfalfa and Cruciferae, 9:179
- SETTERSTROM, CARL: See also WEEDON, F. R. . . .
- SHIPPY, WILLIAM B. An inexpensive and quickly made instrument for testing relative humidity, 2:72
 Influence of environment on the callusing of apple cuttings and grafts, 2:351
- SHIRLEY, HARDY L. The influence of light intensity and light quality upon the growth of plants, 2:159
- Shoots: See Seedling growth
- Short wave radio: effects on insects, 6:217
- Silver bell: germination of seeds, 4:27
- Simmondsia californica* is dioecious, 10:45
- SISSON, WAYNE A. Identification of crystalline cellulose in young cotton fibers by X-ray diffraction analysis, 8:389
 Orientation in young cotton fibers as indicated by X-ray diffraction studies, 9:239
 Some observations upon the dispersion, electrokinetic and coagulation behavior of cotton fibers in cuprammonium hydroxide solution, 10:113
 X-ray diffraction analysis and its application to the study of plant constituents, 9:381
- SISSON, WAYNE A.: See also FARR, WANDA K. . . .
- Slugs: probably unable to transmit tobacco mosaic, 1:353
- Snapdragon: aspirin effects on flowers, 2:197
- Snowberry: See *Symphoricarpos racemosus*
- Soap: spreader for contact insecticides, 3:1

- Soaps, Potassium: as contact insecticides, 7:63
- Sodium lamps: effects on plants, 7:119
- Sodium nitrate: effects on potato tubers, 1:63
- Sodium oleate: effects on toxicity of nicotine to *Aphis rumicis*, 3:8
- Sodium thiocyanate effects on: amylase in dormant potato tubers, 4:53
dormant potato tubers, 1:373, 2:131, 7:157; when disinfected, 9:397
enzyme activities in potatoes, 2:417
starch content of potatoes, 2:580
sucrose content of potatoes, 2:580
- Sodium vapor lamps: effects on plants, 8:433
- Soils: hydrogen ion concentration, 3:267
phosphorus content, 3:267
quality modifies sulphur dioxide injury to plants, 10:155
sampling method, 9:59
steam sterilization effects on manganese content, 6:147
sulphur dioxide effects, 9:353
- Soils, Mineral: improved by peats, 4:245
- Solanum tuberosum*: amylase, See Amylase in dormant potato tubers
carbon dioxide effects, 5:371, 403; on chemical constitution of tubers, 7:113
carbon dioxide in juice, 3:325
chemical analysis of mother tuber, 2:94
chemical changes in eye tissue, 2:131
chemicals effects, on conductivity of tissues, 5:83; on leaching of electrolytes from tissue, 5:83
citric acid isolated from, 8:295
dormancy, See Dormancy in potato tubers
effect of amputation of mother tuber on growth of plant, 2:77
ethyl alcohol effects on respiration, 6:123
ethylene chlorohydrin effects, on acidity of juice, 3:321; on respiration, 6:123
eye tissue in tuber, enzyme activity, 2:437, 442
methyl ester of naphthaleneacetic acid vapor inhibits bud growth in tubers, 10:325
oxidase inhibits sulphur reduction by juice, 3:125
phenyl compounds effects as growth substances, 10:481
rôle of mother tuber in growth of plant, 2:77
rooting from cut surfaces produced, by indoleacetic acid, 9:265; by indolebutyric acid, 9:265
thiourea prevents browning of cut tissues, 7:55
water in mother tuber, 2:97
- Sorbus aucuparia*: after-ripening, germination, vitality of seeds, 3:413
vitality test of seeds, 9:339
- Spectral-glass greenhouses, 1:17
- Spectrographic determination of calcium in plant ashes, 7:103
- Sphecius speciosus*: sting paralyzes cicadas, 7:421
- Spores: anatomy of *Lycopodium* coat, 7:267
germination, See Germination of spores
See also Fungous spores
- Sprouting: chemicals effects, on dormant potato tubers, 1:59, 169, 373; on gladiolus, 2:531
relation to enzyme activity of potatoes, 2:439
thiourea effects on bud inhibition and apical dominance of potato, 1:154
See also Germination of seeds; Rooting
- Stanley's crystals in tobacco mosaic: possible relationship to intracellular bodies, 8:333
relation to intracellular crystalline deposits, 8:413
- STANTON, ERNEST N.: See DENNY, F. E., and ERNEST N. STANTON
- Starch content: changes in chemically treated dormant potato tubers, 2:131, 580
effects of various qualities of radiation on storage, 1:259
effects on callusing of apple cuttings and grafts, 2:381
in potato tubers, 2:131
in rose cuttings in relation to rooting, 1:538
utilization by potato sprout, 2:97
- Starch determination: by solubility in acids, 6:381
takadiastase method, 6:129, 381
- Statistical study of the local lesion method for estimating tobacco mosaic virus, 6:437
- STEWART, W. D., and JOHN M. ARTHUR.

- Change in mineral composition of the tomato plant irradiated with a quartz-mercury vapor lamp and its relation to the level and ratio of calcium and phosphorus in the nutritive medium, **9:105**
- An improved method for ashing of plant material, **8:199**
- Some effects of radiation from a quartz mercury vapor lamp upon the mineral composition of plants, **6:225**
- STEWART, W. D.: See also ARTHUR, JOHN M. . . .
- STILLWELL, O. G., nitrogenous fertilizer, **8:13**
- Storage effects: See Carbon dioxide effects; Seed storage; Temperature effects; etc.
- Storage of seeds: See Seed storage
- Stratification effects on germination: See Germination of seeds: stratification effects
- Stunt disease of dahlia: distinct from aster yellows, **1:212**
- Sucrose: changes in chemically treated dormant potato tubers, **2:131, 580, 5:20**
ethylene chlorohydrin effects, **4:513, 5:435**
hydrolysis, **5:103**
- Sugar cane mosaic: precipitin reaction with tobacco mosaic, **3:532**
- Sugars: carbon dioxide effects on potato tubers, **7:113**
changes, in leaves before frost, **5:297**; in relation to respiratory rate, **5:213, 8:41**
chemicals effects on dormant potato tubers, **5:213, 8:41**
ethylene chlorohydrin effects on dormant gladiolus corms, **5:435**
fructose, glucose determination in presence of pentoses, **10:441**
in leaves during the night, **5:181**
in potato tubers, **2:131**
sulphur compounds effects on dormant potato tubers, **5:29**
utilization by potato sprout, **2:97**
- Sulphate: changes in relation to respiratory rate of potato tubers, **8:41**
deficiency effects on nitrate reduction by plants, **4:125**
utilization by potato tubers in glutathione synthesis, **9:233**
- Sulphur: effects on acidity of peats, **4:497**
reduction by tissues, **4:99**
- Sulphur compounds effects on: dormant, lilacs, **5:52, 71**; potato tubers, **3:309, 499, 5:29**
enzymes, **5:29**
glutathione in dormant potato tubers, **5:331**
- Sulphur dioxide: apparatus for studying effects on animals, plants, **9:161**
in air at Yonkers, N. Y., **9:171, 10:183**
- Sulphur dioxide effects on: animals, **10:281**
insects, **10:281**
plants, **6:455, 9:171, 179, 371, 10:155**
soils, **9:353**
- Sulphur fungicides: action, **3:13**
adherence of particles, **3:521**
classification, **3:500**
dusted leaves and spores produce hydrogen sulphide, **3:13, 4:415**
rôle of pentathionic acid, sulphuric acid, and hydrogen sulphide in fungicidal action, **2:389**
toxicity, **2:392, 5:173**; as influenced by particle size, **2:410, 3:509**; compared to selenium, tellurium, **4:415**; of dusts, **3:509**; of water extracts, **2:409**
- Sulphur reduction: by potato and gladiolus juice inhibited by oxidase, **3:125**
- Sulphuric acid: effects on dormancy in seeds, See Dormancy in seeds . . .
effects on germination of seeds, See Germination of seeds . . .
fungicidal toxicity, **2:398**
metabolism in dormant potato tubers as affected by ethylene chlorohydrin, **6:247**
rôle in fungicidal action of sulphur, **2:389**
- Sulphydryl compounds: carbon dioxide effects on dormant potato tubers, **5:471**
chemicals effects on dormant potato tuber juice, **3:499**
ethylene chlorohydrin effects on gladiolus corms, **4:131**
in fungous spores, **3:26**
in plant tissue, **4:99**; reduce sulphur, **3:125**
See also Glutathione
- Symphoricarpos racemosus* seeds: after-ripening, **6:91**

- dormancy, 6:91, 103
 fungal invasion of coats, 6:103
 germination, 6:91, 103
 morphology, 6:103
- Syringa vulgaris*: chemicals effects on dormant woody tissues, 1:355, 365
 ethyl mercaptan effects on dormancy, 5:52
 ethylene chlorohydrin effects, 1:355, 4:513
 indolebutyric acid produces roots, 10:461
 methyl disulphide effects on dormancy, 5:71
- Takadiastase: ethylene chlorohydrin effects, 5:441
 potassium thiocyanate effects, 5:441
- Takadiastase method for determination of starch, 6:129, 381
- Talc: effects on rooting, 10:461
- Tarsonemus pallidus*: fumigation with naphthalene, 2:519
- Tartaric acid: effects on plants, 7:95
- Tellurium: toxicity compared to selenium, sulphur, 4:415
- Temperature effects: bottom heat influences rooting of hibiscus treated with indolebutyric acid, 10:461
 on absorption of growth substances by plants, 7:447
 on callusing of apple cuttings and grafts, 2:351
 on dormancy, See Dormancy . . .
 on fruits and vegetables in carbon dioxide storage, 3:219
 on germination, See Germination . . .
 on lasting qualities of cut flowers, 2:196, 535
 on plant growth, 2:445; treated with growth substances, 7:209
 on sulphur dioxide injury to plants, 10:155
- Tenebrio molitor*: formic acid toxicity, 7:424
 "Tergitol 7 penetrant" with β , β' -dichloroethyl ether: Japanese beetle larvae control, 10:509
- Tetranychus telarius*: fumigation with naphthalene, 2:519
- Thallium sulphate effects: on nitrification in soils, 5:289
 on plant growth, 5:289
- THATCHER, ROSCOE W. Address at dedication of Institute, 1:55
- Thioacetamide: effects on dormant potato tubers, 5:62, 213
 retards sprouting of potato tubers, 5:64
- Thiocarbamide: See Thiourea
- Thiocyanates: as fungicides, 7:333
 as insecticides, 6:269, 7:29, 497
 effects on guinea pigs, 7:497
 effects on plants, 7:29
 See also Potassium thiocyanate; Sodium thiocyanate
- Thiosemicarbazide: effects on dormant potato tubers, 5:29
- Thiourea effects: on bud inhibition and apical dominance of potato, 1:154
 on dormant potato tubers, 1:59, 169, 2:417, 5:83, 213; when disinfected, 9:397
 on enzyme activities in potatoes, 2:417
 on glutathione, 5:331
 on starch content of potatoes, 2:581
 on sucrose content of potatoes, 2:581, 5:213
 prevents browning of plant tissues and juices, 7:55
 toxicity to animals, 7:60
- THOMPSON, H. JEANNE: See HARRIS, STANTON A., and H. JEANNE THOMPSON
- THORNTON, NORWOOD C. Carbon dioxide storage. III. The influence of carbon dioxide on the oxygen uptake by fruits and vegetables, 5:371
 Carbon dioxide storage. IV. The influence of carbon dioxide on the acidity of plant tissue, 5:403
 Carbon dioxide storage. V. Breaking the dormancy of potato tubers, 5:471
 Carbon dioxide storage. VI. Lowering the acidity of fungal hyphae by treatment with carbonic acid, 6:395
 Carbon dioxide storage. VII. Changes in flower color as evidence of the effectiveness of carbon dioxide in reducing the acidity of plant tissue, 6:403
 Carbon dioxide storage. VIII. Chemical changes in potato tubers resulting from exposure to carbon dioxide, 7:113
 Carbon dioxide storage. IX. Germination of lettuce seeds at high tempera-

- tures in both light and darkness, 8:25
- Carbon dioxide storage. X. The effect of carbon dioxide on the ascorbic acid content, respiration, and pH of asparagus tissue, 9:137
- Carbon dioxide storage. XIII. Relationship of oxygen to carbon dioxide in breaking dormancy of potato tubers, 10:201
- Development of dormancy in lily bulbs, 10:381
- The effect of carbon dioxide on fruits and vegetables in storage, 3:219
- Extraction and determination of vitamin C in plant tissue, 9:273
- Factors influencing germination and development of dormancy in cocklebur seeds, 7:477
- Oxygen regulates the dormancy of the potato, 10:339
- The use of carbon dioxide for prolonging the life of cut flowers, with special reference to roses, 2:535
- Thrips tabaci*: fumigation with naphthalene, 2:519
- Tilia*: after-ripening, dormancy, germination of seeds, 6:69
- Titration curves: organic acids, 1:286
plant extracts, 1:282
- Tobacco: use in testing growth substances, 7:349
- Tobacco mosaic: accuracy in quantitative work with virus, 1:423
comparison with, bean mosaic on bean varieties, 2:556; ring spot of tobacco in bean varieties, 2:557
effects, on chloroplast pigments, 2:244; on *Nicotiana*, 5:129
inoculation, 1:423, 504, 521
intracellular bodies, in detached leaves, 1:347; possibly related to Stanley's crystals, 8:333, 413
local lesions, 1:504; as a method for measuring infectivity, statistical study, 6:437, 9:41, 49
local lesions, on inoculated bean leaves, 2:549; on *Nicotiana*, 3:163
precipitin reaction specificity, 3:529
serologic reactions, 3:529
slugs probably do not transmit, 1:353
Stanley's crystals related to intracellular crystalline bodies, 8:333, 413
succulence a factor in plant susceptibility, 7:19
susceptible varieties of beans, 2:549
symptoms, 4:323; in *Nicotiana*, 5:129; in *Nicotiana tabacum* recovered from ring spot of tobacco, 4:395
ultra-violet photography, 1:407
virus activity, as affected by various factors, 7:19; as affected by temperature, 1:431, 438; in presence of suspended norite and talc, 3:143; when precipitated by lead acetate, 3:131
virus concentration, measured by lesions produced, 7:37
virus crystallization, 3:142
virus inactivated by, ascorbic acid, 8:335, 445; peroxide, 8:445; ultra-violet, 2:155
virus increase, in detached leaves, 1:347; in plant, 2:563
virus infectivity, as affected by enzymes, 3:147; estimated, by incomplete block replications, 9:41, 49; by local lesion method, 1:504, 2:549, 3:163, 6:437, 7:37, 9:41, 49
virus movement in *Nicotiana tabacum*, 4:297
virus of nitrogenous character, 3:144, 161
virus purification, 3:131, 7:10
virus separation, 1:479
virus spread in plant, 1:436
virus storage, 1:430, 438
virus transfer from bean to tobacco, 2:552
- Tomato mosaic: attempt to cultivate an organism, 1:146
filtration and inoculation experiments, 1:329
organism, 1:100
- Toxicity of fungicides: 10:329
as related to the periodic system of the elements in compounds, 6:479
precision of determination, 4:233
test method, 2:389
theory of testing, 10:329
toxicity surface, 5:173
See also Fungicides; name of fungicide
- Toxicity to animals: sulphur dioxide, 10:281
thiourea, 7:60
- Toxicity to goldfish: chlorinated water, 6:39

- Toxicity to guinea pigs: thiocyanogen compounds, 7:499
- Toxicity to insects: acetic acid, formic acid, 7:424
killer-wasp paralyzes cicadas, 7:421
See also Insecticides; name of insecticide
- Toxicity to plants: chlorinated water, 6:39
ethylene, 4:177
ethylene chlorohydrin decreased by β -glucoside formation in plant tissues, 9:213, 425
hydrogen sulphide, 8:189
illuminating gas, 4:155, 6:1
mercury and mercury compounds, 6:167
naphthalene fumigation, 2:512
sulphur dioxide, 6:455, 10:155
thiocyanogen compounds, 7:29
- Toxicity surface of fungicides, 5:173
- Tradescantia fluminensis*: anatomical changes produced by growth substances, 9:439
- Trailing arbutus: propagation, 8:81
- Translocation: bases for calculations in measuring changes in leaves during the night, 5:181
changes in leaves during the night, 4:65
from leaves before frost, 5:297
movement of mosaic virus, 4:297
reversal of direction in abnormally oriented stems, 6:297
studied through use of growth substances, 9:500, 507, 508
twin-leaf method of studying changes in leaves, 2:592, 4:65, 5:181, 297
- Transpiration: effects on absorption of growth substances, 7:447
infra-red, light, temperature effects on tobacco, 5:483
- Transport: indole compounds applied to corns detected in shoots and roots, 10:5
- Tree peony: seedling production, 5:451
- Trichloroethylene: effects on potato tubers, 1:63
- Triorthocresyl phosphate: effects on insect nerves, 6:213
- Triticum aestivum*: yarovization, 8:237
- Tropisms: artificial orientation effects, 9:455
as a method for determining activity of growth substances, 9:299, 498
growth substances effects, 9:299, 10:363, 481
See also Geotropism
- Tryptophane, Irradiated: effects on plants, 10:197
- Tuber: rôle of mother tuber in growth of potato plant, 2:77
- Tulipa*: illuminating gas effects, 4:155
- Turkish tobacco: See *Nicotiana tabacum*
- Twin-leaf method of studying changes in leaves, 2:592, 4:65, 5:181, 297
- Ulmus americana*: germination, storage of seeds, 10:221
- Ultra-violet: filters for transmission, 2:146
- Ultra-violet effects: irradiated β -naphthoyle-acetonitrile effects on plants, 10:199
irradiated cinnamic acid produces epinasty in plants, 10:197
irradiated nitrocinnamic acid effects on plants, 10:197
irradiated tryptophane effects on plants, 10:197
on mineral composition of tomato plants, 9:105
on plants, 6:225
on pyrethrum, 4:107
on red pigment production in apples, 4:1
on tobacco infected by tobacco mosaic, 5:139
on tobacco mosaic virus, 2:143
on tomato, 2:143
on vitamin D, 3:245
- Vaccinium macrocarpon*: cranberry false blossom disease and its insect vector, 3:59
- Vallisneria spiralis*: ecological and physiological studies, 4:425
Rhizoctonia disease, 1:383
sea-water tolerance, 6:303
- Vegetable seeds: See Germination of seeds; Seed storage
- Vegetables: thiourea prevents browning, 7:55
- Viburnum*: after-ripening, dormancy, germination, seedling production, 9:79
- VINSON, C. G., and A. W. PETRE. Mosaic disease of tobacco. I. Progress in freeing the virus of accompanying solids, 1:479
Mosaic disease of tobacco. II. Activity

- of the virus precipitated by lead acetate, **3:131**
- VINSON, CARL G.: See also LOJKIN, MARY . . .
- Viruses: device for lighting precipitin tests, **6:165**
 method of determining concentration, See Local lesion method . . .
 serum reactions, **6:407**
 ultra-violet light photography, **1:407**
 See also Curly top of beets; False blossom of cranberry; Leaf roll; Mosaic diseases; Oakleaf; Ring spot; Stunt disease of dahlia; Witches' broom; Yellows diseases
- Vitality of seeds: See Seeds: vitality
- Vitamin C: See Ascorbic acid
- Vitamin D: ultra-violet effects, **3:245**
- Vitis*: after-ripening, dormancy, germination of seeds, **9:7**
- Vitis labruscana*: ethyl mercaptan breaks dormancy, **5:52**
- Volatile chemicals: produce epinasty, **10:191**
- Volatile products from plant tissues: produce epinasty, **7:97, 341, 8:99, 9:431, 10:191**
- Walnut, Black: seedling production, **8:1**
- Wandering Jew: anatomical changes produced by growth substances, **9:439**
- Water effects: on carbon dioxide treatments of strawberries and vegetables in storage, **3:229**
 on cut roses, **2:545**
 on dormant seeds, See Dormancy in seeds . . .
 on germination, See Germination of seeds . . .
 See also Humidity effects; Moisture effects
- WAY, KATHARINE, and JOHN M. ARTHUR. Spectrographic determination of calcium in plant ashes, **7:103**
- WEEDON, F. R., ALBERT HARTZELL, and CARL SETTERSTROM. Effects on animals of prolonged exposure to sulphur dioxide, **10:281**
- WEISS, FREEMAN. Seed germination in the gray birch, *Betula populifolia*, **1:272**
- Wheat: vernalization, **8:237**
- White heart of lettuce: See Aster yellows
- WILCOXON, FRANK. The determination of pyrethrin I, **8:175**
 Preparation of plant growth-promoting substances. I. 1-naphthaleneglyoxalic ethyl ester; 1-naphthaleneglycollic acid; 1-naphthaleneacetic acid, **8:467**
- WILCOXON, FRANK, and ALBERT HARTZELL. Experiments on greenhouse fumigation with β , β' -dichloroethyl ether, **10:47**
 Further experiments on organic thiocyanates as insecticides, **7:29**
 Some factors affecting the efficiency of contact insecticides. I. Surface forces as related to wetting and tracheal penetration, **3:1**
 Some factors affecting the efficiency of contact insecticides. III. Further chemical and toxicological studies of pyrethrum, **5:115**
- WILCOXON, FRANK, ALBERT HARTZELL, and W. J. YODEN. Greenhouse fumigations with naphthalene solutions, **5:461**
- WILCOXON, FRANK, and S. E. A. MCCALLAN. Fungicidal action of organic thiocyanates, resorcinol derivatives, and other organic compounds, **7:333**
 The fungicidal action of sulphur: I. The alleged rôle of pentathionic acid, **2:389**
 The fungicidal action of sulphur. III. Physical factors affecting the efficiency of dusts, **3:509**
 The fungicidal action of sulphur. IV. Comparative toxicity of sulphur, selenium, and tellurium, **4:415**
 Theoretical principles underlying laboratory toxicity tests of fungicides, **10:329**
 The weathering of Bordeaux mixture, **9:149**
- WILCOXON, FRANK: See also GUTHRIE, JOHN D. . . . ; HARTZELL, ALBERT . . . ; MCCALLAN, S. E. A. . . . ; ZIMMERMAN, P. W. . . .
- Witches' broom of potato: distinct from aster yellows, **3:109**
 ultra-violet photography, **1:407**
- WOODS, MARK W. Cellular changes in ring-spot, **6:51**

- Intracellular bodies associated with ring-spot, **5:419**
- Wound cork: of potato tubers, **10:339**
permeability in relation to dormancy, **10:339**
- Xanthium*: dormancy, germination of seeds, **2:304, 7:477**
- Xanthophyll: environment effects, **2:220**
- X-ray diffraction: patterns of cellulose particles and interpretations of data, **6:315**
studies of cellulose orientation, **9:239**
- X-ray diffraction analysis: corroborates microscopic analysis of plant membranes, **9:239**
of cell membranes, **9:239**
of cellulose, **8:389**
of cotton fiber wall structure, **4:273**
of indole and naphthalene growth substances, **9:509**
of indolebutyric acid recovered from treated tissues, **9:508**
of plant constituents, **9:381**
- Yarovization: oats, wheat, **8:237**
- Yeast cells: produce hydrogen selenide, hydrogen sulphide, hydrogen telluride, **4:422**
- Yellows diseases: See Aster yellows; Celery yellows; *Eupatorium* yellows; Peach yellows
- YOU DEN, W. J. Dilution curve of tobacco-mosaic virus, **9:49**
A nomogram for use in connection with Gutzeit arsenic determinations on apples, **3:303**
Statistical analysis of seed germination data through the use of the Chi-square test, **4:219**
Use of incomplete block replications in estimating tobacco-mosaic virus, **9:41**
- YOU DEN, W. J., and HELEN PURDY BEALE. A statistical study of the local lesion method for estimating tobacco mosaic virus, **6:437**
- YOU DEN, W. J., HELEN PURDY BEALE, and JOHN D. GUTHRIE. Relation of virus concentration to the number of lesions produced, **7:37**
- YOU DEN, W. J., and F. E. DENNY. Factors influencing the pH equilibrium known as the isoelectric point of plant tissue, **1:278**
- YOU DEN, W. J., and I. D. DOBROSKY. A capillary glass electrode, **3:347**
- YOU DEN, W. J., and A. MEHLICH. Selection of efficient methods for soil sampling, **9:59**
- YOU DEN, W. J., and P. W. ZIMMERMAN. Field trials with fibre pots, **8:317**
- YOU DEN, W. J.: See also DENNY, F. E. . . . ; HARTZELL, ALBERT . . . ; McCOOL, M. M. . . . ; WILCOXON, FRANK . . .
- ZIMMERMAN, P. W. Anaesthetic properties of carbon monoxide and other gases in relation to plants, insects, and centipedes, **7:147**
Oxygen requirements for root growth of cuttings in water, **2:616**
- ZIMMERMAN, P. W., and ROBERT O. BERG. Effects of chlorinated water on land plants, aquatic plants, and goldfish, **6:39**
- ZIMMERMAN, P. W., and MARY H. CONNARD. Reversal of direction of translocation of solutes in stems, **6:207**
- ZIMMERMAN, P. W., and WILLIAM CROCKER. Plant injury caused by vapors of mercury and compounds of mercury, **6:167**
Toxicity of air containing sulphur dioxide gas, **6:455**
- ZIMMERMAN, P. W., WILLIAM CROCKER, and A. E. HITCHCOCK. The effect of carbon monoxide on plants, **5:195**
Initiation and stimulation of roots from exposure of plants to carbon monoxide gas, **5:11**
- ZIMMERMAN, P. W., and A. E. HITCHCOCK. Activation of cinnamic acid by ultra-violet light and the physiological activity of its emanations, **10:197**
The combined effect of light and gravity on the response of plants to growth substances, **9:455**
Comparative effectiveness of acids, esters, and salts as growth substances and methods of evaluating them, **8:337**

- Effect of light and dark on responses of plants to growth substances, **8:217**
- Experiments with vapors and solutions of growth substances, **10:481**
- Initiation and stimulation of adventitious roots caused by unsaturated hydrocarbon gases, **5:351**
- Modified storage organs in *Helianthus tuberosus*, **10:1**
- Response of gladiolus corms to growth substances, **10:5**
- The response of roots to "root-forming" substances, **7:439**
- Root formation and flowering of *Dahlia* cuttings when subjected to different day lengths, **1:467**
- Tropic responses of leafy plants induced by application of growth substances, **9:299**
- Tuberization of artichokes regulated by capping stem tips with black cloth, **8:311**
- Vegetative propagation of holly, **2:205**
- ZIMMERMAN, P. W., A. E. HITCHCOCK, and WILLIAM CROCKER. The effect of ethylene and illuminating gas on roses, **3:459**
- The movement of gases into and through plants, **3:313**
- ZIMMERMAN, P. W., A. E. HITCHCOCK, and FRANK WILCOXON. Responses of plants to growth substances applied as solutions and as vapors, **10:363**
- Several esters as plant hormones, **8:105**
- ZIMMERMAN, P. W., and FRANK WILCOXON. Several chemical growth substances which cause initiation of roots and other responses in plants, **7:200**
- ZIMMERMAN, P. W.: See also CONNARD, MARY H. . . . ; CROCKER, WILLIAM . . . ; HITCHCOCK, A. E. . . . ; SETTERSTROM, CARL . . . ; YODEN, W. J. . . .

ADDITIONAL ERRATA

- Vol. 3, page 510, TABLE I, place "Orchard Brand Dritomic Sulphur, General Chemical Co., New York, N.Y." in "Spray Suspension" classification instead of "Modified Dust"
- Vol. 4, page 156, TABLE I, line 2 in body of table, "*eximum* Nichols" should read "*eximum* Nichols."
- page 276, FIGURE 1, " θ " should read " 2θ "
- page 425, line 6, "*Potamogaton*" should read "*Potamogeton*"
- Vol. 5, page 1, insert the footnote to read "This article was preprinted December 1, 1932."
- Vol. 6, page iv of TABLE OF CONTENTS, line 1, "critic" should read "citric"
- Vol. 7, page 88, line 8 from bottom, "proprionic" should read "propionic"
- page 228, entry 8 in LITERATURE CITED should read "LAIBACH, F., A. MÜLLER, und W. SCHÄFER."
- page 228, entry 9 in LITERATURE CITED should read "MAYER, FRITZ, und TRUDI OPPENHEIMER. Über Naphthyl-essigsäuren. (I. Abhandl.)"
- page 220, entry 13 in LITERATURE CITED should read "WOLFRAM, ARTHUR, LUDWIG SCHÖRNIG, and EMIL HAUSDÖRFER."
- page 334, line 3, "Rhem." should read "Rehm."
- Vol. 8, page 152, line 8, "Rhem." should read "Rehm."
- page 476, line 9, "were" should read "was"
- page 507, line 8 left column, "mercury vapor" should read "mercury arc"
- page 507, line 2 right column, "tobacco" should read "tomato"
- Vol. 9, page 250, line 2, "Rhem." should read "Rehm."
- page 328, entry 28 in LITERATURE CITED should read "SCHLENKER, GERHARD, und CHRISTINE ROSENTHAL."
- Vol. 10, page 127, insert the footnote to read "This article was preprinted March 1, 1939."
- page 337, line 3 from bottom, "Rhem." should read "Rehm."
- page 496, TABLE IV, line 4 from bottom, "***" should read "****"
- "*Botrytis paeoniæ* Oud." cited in the following papers —vol. 6: 479-500. 1934; vol. 7: 333-339. 1935; vol. 8: 151-165. 1936; vol. 9: 249-263. 1938 — should be identified as "*Botrytis* sp. (*cinerea* type) isolated from peony"